

Author index*

A

- Abe S. Reply. 1998;136:364 (Letter)
- Abergel E, Linhart A, Chatellier G, Garipey J, Ducardonnet A, Diebold B, Menard J. Vascular and cardiac remodeling in world class professional cyclists. 1998;136:818-23
- Abi-Mansour P, Carberry PA, McCowan RJ, Henthorn RW, Dunn GH, Perry KT. Conversion efficacy and safety of repeated doses of ibutilide in patients with atrial flutter and atrial fibrillation. 1998;136:632-42
- Abraham TP (see Ge et al). 1998;136:1042-50
- Accordino A (see Goldner et al). 1998;136:961-4
- Acker MA (see Chang et al). 1998;136:329-34
- Adams KF Jr. Post hoc subgroup analysis and the truth of a clinical trial. 1998;136:753-8 (Editorial)
- Adele C (see Vaitkus et al). 1998;136:132-5
- Adeleine P (see Nighoghossian et al). 1998;136:1065-9
- Adgey AAJ (see Bleich et al). 1998;136:741-8
- Agata Y (see Hiraishi et al). 1998;136:837-43
- Agati L (see Fedele et al). 1998;136:1003-9
- Aiazian AA (see Rambaldi et al). 1998;136:831-6
- Aizawa Y (see Igarashi et al). 1998;136:965-74
- Akutsu Y (see Watanabe et al). 1998;136:553-42
- Alexander JH, Greenbaum AB, Hudson MP, Kong DF, Miller JM, Tung CY, Whellan DJ. Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998. 1998;136:176-9
- Alexander KP (see Peterson and Alexander). 1998;136:186-8 (Editorial)
- Allen MR, Gibbons RJ, Zinsmeister AR. Sex differences in ventricular function in patients with right bundle branch block. 1998;136:418-24
- Alonso GF (see Milei et al). 1998;136:1096-105
- Amato M (see Stratmann et al). 1998;136:87-93
- Ambrosioni E (see Borghi et al). 1998;136:213-25
- Anderson G (see Perski et al). 1998;136:510-7
- Anderson JL (see Stein et al). 1998;136:425-34
- Anderson JL (see Taylor et al). 1998;136:792-803
- Ando H (see Yotsukura et al). 1998;136:289-96
- Ando M (see Kamijikkoku et al). 1998;136:231-6
- Andreassen AK, Kvernebo K, Jorgensen B, Simonsen S, Kjekshus J, Gullestad L. Exercise capacity in heart transplant recipients: relation to impaired endothelium-dependent vasodilation of the peripheral microcirculation. 1998;136:320-8
- Antoniu J (see Trikas et al). 1998;136:988-90
- Aoyagi K (see Ohsawa et al). 1998;136:1081-7
- Applegate RJ (see Little and Applegate). 1998;136:368-70 (Editorial)
- Ardissino D, Merlini PA, Eisenberg PR, Kottke-Marchant K, Crenshaw BS, Granger CB. Coagulation markers and outcomes in acute coronary syndromes. 1998;136:57-18
- Ares M (see Zarauza et al). 1998;136:1030-41
- Arias R (see Krishnan et al). 1998;136:491-5
- Armstrong WF, Bach DS, Carey LM, Froehlich J, Lowell M, Kazerooni EA. Clinical and echocardiographic findings in patients with suspected acute aortic dissection. 1998;136:1051-60
- Arrowood JA (see Kontos et al). 1998;136:724-33
- Atwood JE, Froelicher V, Chilton R, Dennis C, Froning J, Janosi A, Mortara D, Myers J. Can computerization of the exercise test replace the cardiologist? 1998;136:543-52
- Atwood JE (see Fearon et al). 1998;136:759-61 (Editorial)
- Aufderheide TP (see Shah et al). 1998;136:496-8
- Auger D (see Bogaty et al). 1998;136:884-93
- Aylward PE (see Zabel et al). 1998;136:868-76

*July, pp. 1-182; August, pp. 183-364; September, pp. 365-564; October, part 1, pp. 565-750; part 2, pp. S1-S68; November, pp. 751-930; December, pp. 931-1120.

B

- Bach DS (see Armstrong et al). 1998;136:1051-60
- Bachorik PS (see Herrington et al). 1998;136:115-24
- Bailey KR (see Garratt et al). 1998;136:196-204
- Bair TL (see Taylor et al). 1998;136:792-803
- Baker J (see Goldner et al). 1998;136:961-4
- Bali HK (see Singh et al). 1998;136:443-8
- Bardoner JB (see Fesmire et al). 1998;136:237-44
- Bareiss P (see Roul et al). 1998;136:449-57
- Barilla F (see Foster et al). 1998;136:269-75
- Barone A (see Milei et al). 1998;136:1096-105
- Baroni M (see Cortigiani et al). 1998;136:37-42
- Bart B (see Shah et al). 1998;136:314-9
- Bart BA (see Gattis et al). 1998;136:43-8
- Barthelet M (see Nighoghossian et al). 1998;136:1065-9
- Bashore TM (see Robioli et al). 1998;136:718-23
- Baumgart D, Haude M, Liu F, Ge J, George G, Erbel R. Current concepts of coronary flow reserve for clinical decision making during cardiac catheterization. 1998;136:136-49
- Beato DK (see Dolan et al). 1998;136:71-7
- Becker RC, Bovill EG, Seghatchian MJ, Samama MM. Pathobiology of thrombin in acute coronary syndromes. 1998;136:S19-31
- Becker RC (see Zabel et al). 1998;136:868-76
- Beckman RH III (see Lloyd et al). 1998;136:302-6
- Bedell SE (see Graboyes and Bedell). 1998;136:574-5 (Editorial)
- Behar S (see Haim et al). 1998;136:245-51
- Bender AM (see Donnerstein et al). 1998;136:643-6
- Benedetti G (see Fedele et al). 1998;136:1003-9
- Bengur AR (see Li et al). 1998;136:1075-80
- Benzaquen BS, Eisenberg MJ, Challapalli R, Nguyen T, Brown KJ, Topol EJ. Correlates of in-hospital cost among patients undergoing abdominal aortic aneurysm repair. 1998;136:696-702
- Beranek JT. C-reactive protein in postinfarction heart rupture. 1998;136:563-4 (Letter)
- Berg R (see Nsah et al). 1998;136:844-51
- Bergh ME (see Hassapoyannes et al). 1998;136:688-95
- Berkowitz SD, Frelinger AL III, Hillman RS. Progress in point-of-care laboratory testing for assessing platelet function. 1998;136:S51-65
- Berkowitz SD (see Harrington et al). 1998;136:S43-50
- Bernardi VH (see Moreno et al). 1998;136:804-11
- Bertaccini P (see Fattori et al). 1998;136:824-30
- Beyar R (see Mutlak et al). 1998;136:169-75
- Biaggioni I (see Choy et al). 1998;136:664-71
- Biagini A (see Cortigiani et al). 1998;136:37-42
- Bigelow C (see Goldberg et al). 1998;136:189-95
- Bitar JN (see Mazur et al). 1998;136:335-44
- Bitar JN (see Mazur et al). 1998;136:504-9
- Black DM (see Herrington et al). 1998;136:115-24
- Blackburn G (see Williams et al). 1998;136:57-62
- Blackwell GG (see Foster et al). 1998;136:269-75
- Bleich SD, Adgey AAJ, McMechan SR, Love TW. An angiographic assessment of alteplase: double-bolus and front-loaded infusion regimens in myocardial infarction. 1998;136:741-8
- Blumenthal R (see Herrington et al). 1998;136:115-24
- Bogaty P, Robitaille N-M, Solymoss S, Boyer L, Auger D, Labbe L, Simard S, Rail J, Genest J Jr, Turgeon J. Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina. 1998;136:884-93
- Boni A (see Cortigiani et al). 1998;136:37-42
- Bonito A (see Samsa et al). 1998;136:703-13
- Borghi C, Marino P, Zardini P, Magnani B, Collatina S, Ambrosioni E. Short- and long-term effects of early fasinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the Fasinopril in Acute Myocardial Infarction Study. 1998;136:213-25
- Bottoni N (see Brignole et al). 1998;136:264-8
- Bourrat Ch (see Nighoghossian et al). 1998;136:1065-9
- Bove EL (see Lloyd et al). 1998;136:302-6
- Bovill EG (see Becker et al). 1998;136:S19-31

- Bovill EG (see Zabel et al). 1998;136:868-76
 Bowman KA (see Cantor et al). 1998;136:1088-95
 Boyer L (see Bogaty et al). 1998;136:884-93
 Boyko V (see Haim et al). 1998;136:245-51
 Bracchetti D (see Casella et al). 1998;136:894-904
 Brancati FL (see Liao et al). 1998;136:480-90
 Brand FN, Kannel WB, Evans J, Larson MG, Wolf PA. Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study. 1998;136:919-27
 Brennecke R (see Rupprecht et al). 1998;136:613-9
 Brignole M, Menozzi C, Gaggioli G, Musso G, Foglia-Manzillo G, Mascioli G, Fradella G, Bottoni N, Mureddu R. Effects of long-term vasodilator therapy in patients with carotid sinus hypersensitivity. 1998;136:264-8
 Brooker RF (see Ge et al). 1998;136:1042-50
 Broussolle E (see Nighoghossian et al). 1998;136:1065-9
 Brown KJ (see Benzaquen et al). 1998;136:696-702
 Buller CE. Failed stent delivery: importance for modern interventional cardiology. 1998;136:945-7 (Editorial)
 Burgess P (see Ge et al). 1998;136:1042-50

C

- Calatayud R (see Roldán et al). 1998;136:956-60
 Calhoun FB (see Fesmire et al). 1998;136:237-44
 Califf RM. Role and significance of coagulation markers in understanding and treating acute coronary syndromes—introduction. 1998;136:S1-6
 Califf RM (see Kong and Califf). 1998;136:183-5 (Editorial)
 Califf RM (see Zabel et al). 1998;136:868-76
 Calkins H (see Nsah et al). 1998;136:844-51
 Calvin JE, Klein LW, VandenBerg BJ, Meyer P, Ramirez-Morgen LM, Parrillo JE. Clinical predictors easily obtained at presentation predict resource utilization in unstable angina. 1998;136:373-81
 Camici PG (see Lorenzoni et al). 1998;136:972-81
 Camici PG (see Spyrou et al). 1998;136:474-6
 Camplese MG (see Casella et al). 1998;136:894-904
 Candell J (see Tornos et al). 1998;136:681-7
 Cantor WJ, Lazzam C, Cohen EA, Bowman KA, Dolman S, Mackie K, Natarajan MK, Strauss BH. Failed coronary stent deployment. 1998;136:1088-95
 Carberry PA (see Abi-Mansour et al). 1998;136:632-42
 Carey LM (see Armstrong et al). 1998;136:1051-60
 Carmel S (see Ilia et al). 1998;136:499-503
 Casella G, Pavesi PC, Medda M, diNiro M, Camplese MG, Bracchetti D. Long-term prognosis of painless exercise-induced ischemia in stable patients with previous myocardial infarction. 1998;136:894-904
 Castello R (see Dolan et al). 1998;136:71-7
 Cecchi F (see Lorenzoni et al). 1998;136:972-81
 Celletti F (see Fattori et al). 1998;136:824-30
 Cervellini P (see Fedele et al). 1998;136:1003-9
 Challapalli R (see Benzaquen et al). 1998;136:696-702
 Chamot-Clerc P (see Girerd et al). 1998;136:624-31
 Chaney C (see Shaffer et al). 1998;136:307-13
 Chang G, DeNofrio D, Desai S, Kelley MP, Rader DJ, Acker MA, Loh E. Lipoprotein(a) levels and heart transplantation atherosclerosis. 1998;136:329-34
 Chang H-J (see Hsieh et al). 1998;136:606-12
 Chang RJ, Doherty TM, Goldberg SL. How does warfarin affect the activated coagulation time? 1998;136:477-9
 Chatellier G (see Abergel et al). 1998;136:818-23
 Chati Z (see Zannad et al). 1998;136:672-80
 Chazot G (see Nighoghossian et al). 1998;136:1065-9
 Chen C-H (see Nakayama et al). 1998;136:281-8
 Chen J-H (see Tsai et al). 1998;136:99-102
 Chen L, Crook JR, Tousoulis D, Chester MR, Kaski JC. Complex stenosis morphology predicts late reocclusion during follow-up after myocardial infarction in patients with patent infarct-related coronary arteries. 1998;136:877-83
 Chen Y-T (see Sheu et al). 1998;136:125-31
 Chern M-S (see Hsieh et al). 1998;136:606-12
 Cherng W-J, Wang C-H, Hung M-J, Chung S-Y. Dobutamine stress echocardiography in the prediction of acute or chronic myocardial infarction. 1998;136:1021-9
 Chester MR (see Chen et al). 1998;136:877-83
 Child JS (see Dod et al). 1998;136:109-14
 Chilton R (see Atwood et al). 1998;136:543-52
 Chirriati G (see Lorenzoni et al). 1998;136:972-81
 Choi Y-S (see Kim et al). 1998;136:1070-4
 Choy AMJ, Lang CC, Roden DM, Robertson D, Wood AJJ, Robertson RM, Biaggioni I. Abnormalities of the QT interval in primary disorders of autonomic failure. 1998;136:664-71
 Chung S-Y (see Cherng et al). 1998;136:1021-9
 Clark CM Jr, Perry RC. A "touch of sugar" can be fatal. 1998;136:762-4 (Editorial)
 Climov D (see Mairesse et al). 1998;136:63-70
 Cobb FR (see Mendelsohn et al). 1998;136:600-5
 Cobb J (see Kannel et al). 1998;136:205-12
 Cocco-Spofford D (see Scherrer-Crosbie et al). 1998;136:769-77
 Cohen EA (see Cantor et al). 1998;136:1088-95
 Cokkinos DV (see Karpanou et al). 1998;136:765-8
 Collatina S (see Borghi et al). 1998;136:213-25
 Collins D (see Papademetriou et al). 1998;136:734-40
 Collins TJ (see Silva et al). 1998;136:156-63
 Colombo A (see Hiro et al). 1998;136:1017-20
 Confavreux C (see Nighoghossian et al). 1998;136:1065-9
 Conlon PJ (see Crowley et al). 1998;136:913-8
 Copie X (see Girerd et al). 1998;136:624-31
 Corcos T (see Pentousis et al). 1998;136:786-91
 Cornhill JF (see Masseroli et al). 1998;136:78-86
 Cortigiani L, Baroni M, Picano E, Palmieri C, Boni A, Ravani M, Biagini A, Nannini E. Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure. 1998;136:37-42
 Cothren RM (see Masseroli et al). 1998;136:78-86
 Couderq C (see Herpin et al). 1998;136:180 (Letter)
 Cox ID (see Kaski et al). 1998;136:412-7
 Cox JL. Atrial transport function after the Maze procedure for atrial fibrillation: a 10-year clinical experience. 1998;136:934-6 (Editorial)
 Crake T (see Tousoulis et al). 1998;136:382-8
 Crean P (see Garadah et al). 1998;136:812-7
 Crenshaw BS (see Ardissino et al). 1998;136:S7-18
 Crook JR (see Chen et al). 1998;136:877-83
 Crook JR (see Kaski et al). 1998;136:412-7
 Crook JR (see Salomone et al). 1998;136:620-3
 Crowley JJ, Santos RM, Peter RH, Puma JA, Schwab SJ, Phillips HR, Stack RS, Conlon PJ. Progression of renal artery stenosis in patients undergoing cardiac catheterization. 1998;136:913-8
 Crowley JJ (see Mendelsohn et al). 1998;136:600-5

D

- D'Agostino RB (see Kannel et al). 1998;136:205-12
 Dake MD (see Oesterle et al). 1998;136:578-99 (Prog. cardiol.)
 Damle RS (see Mann et al). 1998;136:658-63
 Davies G (see Tousoulis et al). 1998;136:382-8
 DAVIT Study Group (see Sajadieh et al). 1998;136:164-8
 Dayoub MG (see Nighoghossian et al). 1998;136:1065-9
 de Boer M-J (see van't Hof et al). 1998;136:518-27
 Dec GW (see Scherrer-Crosbie et al). 1998;136:769-77
 DeJongste MJL (see Hautvast et al). 1998;136:1114-20
 Dell'Italia LJ (see Foster et al). 1998;136:269-75
 del Rey JM (see Madrid et al). 1998;136:948-55

- Dengler T (see Reindl et al). 1998;136:778-85
Dennis C (see Atwood et al). 1998;136:543-52
DeNofrio D (see Chang et al). 1998;136:329-34
Dens J (see De Scheerder et al). 1998;136:345-51
Derex L (see Nighoghossian et al). 1998;136:1065-9
Dernellis J, Tsiamis E, Stefanadis C, Pitsavos C, Toutouzas P. Effects of postural changes on left atrial function in patients with hypertrophic cardiomyopathy. 1998;136:982-7
Desai S (see Chang et al). 1998;136:329-34
De Scheerder IK, Wang K, Kostopoulos K, Dens J, Desmet W, Piessens JH. Treatment of long dissections by use of a single long or multiple short stents: clinical and angiographic follow-up. 1998;136:345-51
Deshpande NV, Serruys PW. Asymptomatic restenosis: Should we (re)intervene? an unresolved dilemma. 1998;136:576-7 (Editorial)
Desmet W (see De Scheerder et al). 1998;136:345-51
Detry J-MR (see Mairesse et al). 1998;136:63-70
Dhar PK (see Lynch et al). 1998;136:94-8
Diebold B (see Abergel et al). 1998;136:818-23
Dietz U (see Rupprecht et al). 1998;136:613-9
DiGiulio M (see Goldner et al). 1998;136:961-4
Dimon AD (see Yazdani et al). 1998;136:357-61
Ding Y-A (see Sheu et al). 1998;136:125-31
Ding Z-P (see Lau et al). 1998;136:150-5
diNiro M (see Casella et al). 1998;136:894-904
DiSalvo TG (see Philbin and DiSalvo). 1998;136:553-61
DiSalvo TG (see Scherrer-Crosbie et al). 1998;136:769-77
Dod OH, Perloff JK, Child JS, Miner PD, Pegues DA. Are high-velocity tricuspid and pulmonary regurgitation endocarditis risk substrates? 1998;136:109-14
Doherty TM (see Chang et al). 1998;136:477-9
Dolan MS, Puri S, Beato DK, Castello R, St. Vrain J, Dressler FA, Ofili EO, Labovitz AJ. Prognostic significance of late-peaking left ventricular velocity contour in patients with aortic stenosis undergoing valve replacement. 1998;136:71-7
Dolman S (see Cantor et al). 1998;136:1088-95
Domingo E (see Figueras and Domingo). 1998;136:252-8
Donnerstein RL, Zhu D, Samson R, Bender AM, Goldberg SJ. Acute effects of caffeine ingestion on signal-averaged electrocardiograms. 1998;136:643-6
Dressler FA (see Dolan et al). 1998;136:71-7
Dubach P (see Dziekan et al). 1998;136:22-30
Ducardonnet A (see Abergel et al). 1998;136:818-23
Duncan PW (see Samsa et al). 1998;136:703-13
Dunn GH (see Abi-Mansour et al). 1998;136:632-42
Durán RM (see Zarauza et al). 1998;136:1030-41
Dziekan G, Myers J, Goebels U, Muller P, Reinhart W, Ratti R, Hafeli W, Dubach P. Effects of exercise training on limb blood flow in patients with reduced ventricular function. 1998;136:22-30

E

- Easterling BM (see Hassapoyannas et al). 1998;136:688-95
Economides E, Stevenson LW. The jugular veins: knowing enough to look. 1998;136:6-9 (Editorial)
Economou O (see Lekakis et al). 1998;136:905-12
Eisenberg MJ (see Benzaquen et al). 1998;136:696-702
Eisenberg PR (see Ardissino et al). 1998;136:87-18
Eisenstein EL. Patient risk or physician practice: What factors drive resource use in unstable angina? 1998;136:365-7 (Editorial)
Ellestad MH. HOT MI Pilot Study. 1998;136:749 (Letter reply)
Elliott P (see Lorenzoni et al). 1998;136:972-81
Enarson C (see Samsa et al). 1998;136:703-13
Erbel R (see Baumgart et al). 1998;136:136-49
Erbel R (see Rupprecht et al). 1998;136:613-9
Ericsson C-G (see Perski et al). 1998;136:510-7
Espinola-Klein C (see Rupprecht et al). 1998;136:613-9
Evangelista A (see Tornos et al). 1998;136:681-7
Evans J (see Brand et al). 1998;136:919-27
Every NR (see Maynard and Every). 1998;136:943-4 (Editorial)

F

- Fallon JT (see Moreno et al). 1998;136:804-11
Farb A (see Virmani et al). 1998;136:937-9 (Editorial)
Farmer JA (see Mazur et al). 1998;136:504-9
Fattori R, Rocchi G, Celletti F, Bertaccini P, Rapezzi C, Gavelli G. Contribution of magnetic resonance imaging in the differential diagnosis of cardiac amyloidosis and symmetric hypertrophic cardiomyopathy. 1998;136:824-30
Favereau X (see Pentousis et al). 1998;136:786-91
Fearon WF, Voodi L, Atwood JE, Froelicher V. Should only the squeaky wheel get the grease? the prognostic significance of silent ischemia detected by exercise treadmill testing. 1998;136:759-61 (Editorial)
Fedele F, Agati L, Pugliese M, Cervellini P, Benedetti G, Magni G, Vitarelli A. Role of the central endogenous opiate system in patients with syndrome X. 1998;136:1003-9
Feleke E (see Perski et al). 1998;136:510-7
Ferlin E (see Rohde et al). 1998;136:31-6
Ferrari M (see Piovani et al). 1998;136:928-9 (Letter)
Fesmire FM, Percy RF, Bardoner JB, Wharton DR, Calhoun FB. Serial creatinine kinase (CK) MB testing during the emergency department evaluation of chest pain: utility of a 2-hour Δ CK-MB of +1.6 ng/ml. 1998;136:237-44
Fetics B (see Nakayama et al). 1998;136:281-8
Figueras J, Domingo E. Fasting and postprandial ischemic threshold in patients with unstable angina with and without postprandial angina at rest. 1998;136:252-8
Figueras A (see Zarauza et al). 1998;136:1030-41
Fioretti PM (see Rambaldi et al). 1998;136:831-6
Fitzgerald PJ (see Oesterle et al). 1998;136:578-99 (Prog. cardiol.)
Fleisch M (see Garachemani et al). 1998;136:352-6
Foale R (see Spyrou et al). 1998;136:474-6
Foglia-Manzillo G (see Brignole et al). 1998;136:264-8
Foley B (see Garadah et al). 1998;136:812-7
Folsom AR (see Liao et al). 1998;136:480-90
Fong J (see Herrington et al). 1998;136:115-24
Foster RE, Johnson DB, Barilla F, Blackwell GG, Orr R, Roney M, Stanley AWH Jr, Pohost GM, Dell'Italia LJ. Changes in left ventricular mass and volumes in patients receiving angiotensin-converting enzyme inhibitor therapy for left ventricular dysfunction after Q-wave myocardial infarction. 1998;136:269-75
Fowle KM (see Ge et al). 1998;136:1042-50
Fradella G (see Brignole et al). 1998;136:264-8
Fredericks S (see Kaski et al). 1998;136:412-7
Frelinger AL III (see Berkowitz et al). 1998;136:551-65
Froehlich J (see Armstrong et al). 1998;136:1051-60
Froelicher V (see Atwood et al). 1998;136:543-52
Froelicher V (see Fearon et al). 1998;136:759-61 (Editorial)
Froning J (see Atwood et al). 1998;136:543-52
Fujii K (see Yotsukura et al). 1998;136:289-96
Fujino N (see Hiraishi et al). 1998;136:837-43
Funck F (see Pentousis et al). 1998;136:786-91
Fuster V (see Moreno et al). 1998;136:804-11
Fyfe DA (see Lynch et al). 1998;136:94-8

G

- Gaggioli G (see Brignole et al). 1998;136:264-8
Garachemani AR, Kaufmann U, Fleisch M, Meier B. Prolonged heparin after uncomplicated coronary interventions: a prospective, randomized trial. 1998;136:352-6
Garadah T, Ghaisas NK, Mehana N, Foley B, Crean P, Walsh M. Impact of intravenous nitroglycerin on pulsed Doppler indexes of left ventricular filling in acute anterior myocardial infarction. 1998;136:812-7
Garipey J (see Abergel et al). 1998;136:818-23
Garratt KN, Holmes DR Jr, Molina-Viamonte V, Reeder GS, Hodge DO, Bailey KR, Lobl KK, Laudon DA, Gibbons RJ. Intravenous adenosine and lidocaine in patients with acute myocardial infarction. 1998;136:196-204

- Gattis WA, Larsen RL, Hasselblad V, Bart BA, O'Connor CM. Is optimal angiotensin-converting enzyme inhibitor dosing neglected in elderly patients with heart failure? 1998;136:43-8
- Gavelli G (see Fattori et al). 1998;136:824-30
- Ge J (see Baumgart et al). 1998;136:136-49
- Ge S, Warner JG Jr, Abraham TP, Kon ND, Brooker RF, Nomeir AM, Fowle KM, Burgess P, Kitzman DW. Three-dimensional surface area of the aortic valve orifice by three-dimensional echocardiography: clinical validation of a novel index for assessment of aortic stenosis. 1998;136:1042-50
- Geleijnse ML (see Rambaldi et al). 1998;136:831-6
- Genest J Jr (see Bogaty et al). 1998;136:884-93
- George LK (see Krishnan et al). 1998;136:491-5
- Germain P (see Roul et al). 1998;136:449-57
- Ghaisas NK (see Garadah et al). 1998;136:812-7
- Gheorghiadu M, Pitt B. Neurohumoral effects of digitalis. 1998;136:929 (Letter reply)
- Gibbons RJ (see Allen et al). 1998;136:418-24
- Gibbons RJ (see Garratt et al). 1998;136:196-204
- Gildein HP, Kleinert S, Goh TH, Wilkinson JL. Pulmonary valve annulus grows after balloon dilatation of neonatal critical pulmonary valve stenosis. 1998;136:276-80
- Girerd X, Chamiot-Clerc P, Copie X, Renaud JF, Laurent S, Safar ME. Effects of norepinephrine on the mechanical properties of the human radial artery in vitro. 1998;136:624-31
- Gistri R (see Lorenzoni et al). 1998;136:972-81
- Goebbels U (see Dziekan et al). 1998;136:22-30
- Goerge G (see Baumgart et al). 1998;136:136-49
- Goh TH (see Gildein et al). 1998;136:276-80
- Goldberg RJ, O'Donnell C, Yarzebski J, Bigelow C, Savageau J, Gore JM. Sex differences in symptom presentation associated with acute myocardial infarction: a population-based perspective. 1998;136:189-95
- Goldberg SJ (see Donnerstein et al). 1998;136:643-6
- Goldberg SL (see Chang et al). 1998;136:477-9
- Goldbourn U (see Haim et al). 1998;136:245-51
- Goldner BG, Baker J, Accordino A, Sabatino L, DiGiulio M, Kalendarian D, Lin D, Zambrotta V, Stechel J, Maccaro P, Jadonath R. Electrical cardioversion of atrial fibrillation or flutter with conscious sedation in the age of cost containment. 1998;136:961-4
- Goldstein L (see Samsa et al). 1998;136:703-13
- González Rebollo JM (see Madrid et al). 1998;136:948-55
- Gore JM (see Goldberg et al). 1998;136:189-95
- Goto T (see Nakagami et al). 1998;136:528-32
- Gottlieb S (see Haim et al). 1998;136:245-51
- Graboyes TB, Bedell SE. Caffeine ingestion: yet another wake-up call? 1998;136:574-5 (Editorial)
- Grana D (see Milei et al). 1998;136:1096-105
- Granger CB (see Ardissino et al). 1998;136:57-18
- Granger CB (see Harrington et al). 1998;136:S43-50
- Granger CB (see Zabel et al). 1998;136:868-76
- Greenbaum AB (see Alexander et al). 1998;136:176-9
- Greenberg ML (see Holzberger et al). 1998;136:49-56
- Grinstead WC (see Mazur et al). 1998;136:335-44
- Guérin Y (see Pentouis et al). 1998;136:786-91
- Gueron M (see Ilia et al). 1998;136:499-503
- Guest M (see Zannad et al). 1998;136:672-80
- Gullestad L (see Andreassen et al). 1998;136:320-8
- Gulotta C (see Yazdani et al). 1998;136:357-61
- Gurbel PA (see Serebruany et al). 1998;136:398-405
- Gutiérrez B (see Zazuza et al). 1998;136:1030-41
- H
- Habib S (see Mutlak et al). 1998;136:169-75
- Haeblerl A (see Mombelli et al). 1998;136:1106-13
- Hafeli W (see Dziekan et al). 1998;136:22-30
- Haim M, Gottlieb S, Boyko V, Reichler-Reiss H, Hod H, Kaplinsky E, Mandelzweig L, Goldbourn U, Behar S. Prognosis of patients with a first non-Q-wave myocardial infarction before and in the reperfusion era. 1998;136:245-51
- Hall P (see Hiro et al). 1998;136:1017-20
- Hamburger JN (see Rambaldi et al). 1998;136:831-6
- Hann C (see Kaski et al). 1998;136:412-7
- Hansen JF (see Sajadieh et al). 1998;136:164-8
- Harrell L (see Moreno et al). 1998;136:804-11
- Harrington RA, Kleiman NS, Granger CB, Ohman EM, Berkowitz SD. Relation between inhibition of platelet aggregation and clinical outcomes. 1998;136:S43-50
- Harrington RA (see Kleiman et al). 1998;136:S32-42
- Harrison JK (see Robiolio et al). 1998;136:718-23
- Harumi K (see Watanabe et al). 1998;136:533-42
- Hassapoyannes CA, Bergh ME, Movahed MR, Easterling BM, Omoigui NA. Diastolic effects of chronic digitalization in systolic heart failure. 1998;136:688-95
- Hasselblad V (see Gattis et al). 1998;136:43-8
- Hattori T, Sumimoto T, Kaida M, Yuasa F, Jikuhara T, Hikosaka M, Sugiura T, Iwasaka T. Importance of intrinsic calf vasodilator capacity in determining distribution of skeletal muscle perfusion during supine bicycle exercise in patients with left ventricular dysfunction. 1998;136:458-64
- Haude M (see Baumgart et al). 1998;136:136-49
- Hautvast RWM, DeJongste MJL, Staai MJ, van Gilst WH, Lie KI. Spinal cord stimulation in chronic intractable angina pectoris: a randomized, controlled efficacy study. 1998;136:1114-20
- Hayasaki K (see Kamijikkoku et al). 1998;136:231-6
- Hayashi D (see Suzuki et al). 1998;136:362-3
- Hayes OW (see Shah et al). 1998;136:496-8
- He D (see Zeng et al). 1998;136:852-8
- Henthorn RW (see Abi-Mansour et al). 1998;136:632-42
- Herlong JR (see Li et al). 1998;136:1075-80
- Hernando JP (see Zazuza et al). 1998;136:1030-41
- Hernette D (see Nighoghossian et al). 1998;136:1065-9
- Herpin D, Couderq C, Ragot S. Accuracy of heart rate-adjusted ST segments. 1998;136:180 (Letter)
- Herrington DM, Fong J, Sempos CT, Black DM, Schrott HG, Rautaharju P, Bachorik PS, Blumenthal R, Khan S, Wenger NK. Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III). 1998;136:115-24
- Hikosaka M (see Hattori et al). 1998;136:458-64
- Hillman RS (see Berkowitz et al). 1998;136:S51-65
- Hirai H (see Suzuki et al). 1998;136:362-3
- Hiraishi S, Agata Y, Misawa H, Horiguchi Y, Fujino N, Takeda N, Nakae S, Kasahara S. Prospective echocardiographic analysis of progressive obstruction of the proximal pulmonary artery in congenital heart disease and obstructed pulmonary flow. 1998;136:837-43
- Hiro T, Hall P, Maiello L, Itoh A, Colombo A, Jang Y-T, Salmon SM, Tobis JM. Clinical feasibility of 0.018-inch intravascular ultrasound imaging device. 1998;136:1017-20
- Hirsh J (see Zabel et al). 1998;136:868-76
- Hitumoto T (see Ohsawa et al). 1998;136:1081-7
- Ho PC (see Holzberger et al). 1998;136:49-56
- Hod H (see Haim et al). 1998;136:245-51
- Hodge DO (see Garratt et al). 1998;136:196-204
- Holmes DR Jr (see Garratt et al). 1998;136:196-204
- Holt D (see Kaski et al). 1998;136:412-7
- Holt D (see Salomone et al). 1998;136:620-3
- Holzberger PT, Greenberg ML, Paicopolis MC, Ozahowski TP, Ho PC, O'Connor GT. Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing. 1998;136:49-56
- Honda T (see Kamijikkoku et al). 1998;136:231-6
- Honnorot J (see Nighoghossian et al). 1998;136:1065-9
- Hoorntje JCA (see van't Hof et al). 1998;136:518-27
- Horiguchi Y (see Hiraishi et al). 1998;136:837-43

- Hosseini-Nia M (see Salomone et al). 1998;136:620-3
Hsieh I-C, Chang H-J, Chern M-S, Hung K-C, Lin F-C, Wu D. Late coronary artery stenting in patients with acute myocardial infarction. 1998;136:606-12
Hu W (see Zeng et al). 1998;136:852-8
Hudson MP (see Alexander et al). 1998;136:176-9
Hui R (see Nsah et al). 1998;136:844-51
Hung K-C (see Hsieh et al). 1998;136:606-12
Hung M-J (see Cherng et al). 1998;136:1021-9

I

- Igarashi Y, Yamaura M, Ito M, Inuzuka H, Ojima K, Aizawa Y. Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a trans-esophageal echocardiographic study. 1998;136:965-74
Ikeda U (see Nakagami et al). 1998;136:528-32
Ilija R, Carmel S, Tsatskis B, Gueron M. Exaggerated blood pressure response at exercise in normotensive subjects: demographic and stress performance characteristics. 1998;136:499-503
Inuzuka H (see Igarashi et al). 1998;136:965-74
Ishihara T (see Yotsukura et al). 1998;136:289-96
Ishikawa K (see Yotsukura et al). 1998;136:289-96
Ishikura K (see Masuoka et al). 1998;136:226-30
Ito M (see Igarashi et al). 1998;136:965-74
Ito S (see Yukinaka et al). 1998;136:859-67
Itoh A (see Hiro et al). 1998;136:1017-20
Iwasaka T (see Hattori et al). 1998;136:458-64

J

- Jadonath R (see Goldner et al). 1998;136:961-4
Jang Y-T (see Hiro et al). 1998;136:1017-20
Janosi A (see Atwood et al). 1998;136:543-52
Jeng C-Y (see Sheu et al). 1998;136:125-31
Jesse RL (see Kontos et al). 1998;136:724-33
Jiang W (see Krishnan et al). 1998;136:491-5
Jikuhara T (see Hattori et al). 1998;136:458-64
Johan A (see Lau et al). 1998;136:150-5
Johnson DB (see Foster et al). 1998;136:269-75
Jørgensen B (see Andreassen et al). 1998;136:320-8
Jumrussirikul P (see Nsah et al). 1998;136:844-51
Juneja R (see Singh et al). 1998;136:443-8

K

- Kaida M (see Hattori et al). 1998;136:458-64
Kalendarian D (see Goldner et al). 1998;136:961-4
Kamei S (see Masuoka et al). 1998;136:226-30
Kamijikkoku S, Murohara T, Tayama S, Matsuyama K, Honda T, Ando M, Hayasaka K. Acute myocardial infarction and increased soluble intercellular adhesion molecule-1: a marker of vascular inflammation and a risk of early restenosis? 1998;136:231-6
Kanai M (see Ohsawa et al). 1998;136:1081-7
Kanda Y (see Suzuki et al). 1998;136:362-3
Kangawa K (see Nagaya et al). 1998;136:297-301
Kannel WB (see Brand et al). 1998;136:919-27
Kannel WB, Wilson PWF, D'Agostino RB, Cobb J. Sudden coronary death in women. 1998;136:205-12
Kaplinsky E (see Haim et al). 1998;136:245-51
Karagounis LA (see Stein et al). 1998;136:425-34
Karpanou EA, Vysoulis GP, Psychogios A, Malakou C, Kyrozi EA, Cokkinos DV, Toutouzas PK. Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension. 1998;136:765-8
Kasahara S (see Hiraishi et al). 1998;136:837-43
Kaski JC, Cox ID, Crook JR, Salomone OA, Fredericks S, Hann C,

Holt D. Differential plasma endothelin levels in subgroups of patients with angina and angiographically normal coronary arteries. 1998;136:412-7

- Kaski JC (see Chen et al). 1998;136:877-83
Kaski JC (see Salomone et al). 1998;136:620-3
Kass D (see Nsah et al). 1998;136:844-51
Kass DA (see Nakayama et al). 1998;136:281-8
Katagiri T (see Watanabe et al). 1998;136:533-42
Katayama A (see Yotsukura et al). 1998;136:289-96
Katsimakis G (see Trikas et al). 1998;136:988-90
Kaufmann U (see Garachemani et al). 1998;136:352-6
Kawamura K (see Ohsawa et al). 1998;136:1081-7
Kazerooni EA (see Armstrong et al). 1998;136:1051-60
Kelley MP (see Chang et al). 1998;136:329-34
Kelly PA (see Mann et al). 1998;136:658-63
Khalil AA (see Mazur et al). 1998;136:335-44
Khalil AA (see Mazur et al). 1998;136:504-9
Khan MM (see Mazur et al). 1998;136:335-44
Khan S (see Herrington et al). 1998;136:115-24
Khouri PR (see Wong et al). 1998;136:714-7
Kim H-S (see Kim et al). 1998;136:1070-4
Kim K-B (see Kim et al). 1998;136:1070-4
Kim Y-J, Sohn D-W, Park D-G, Kim H-S, Oh B-H, Lee M-M, Park Y-B, Choi Y-S, Seo J-D, Lee Y-W, Kim K-B, Rho J-R. Restoration of atrial mechanical function after maze operation in patients with structural heart disease. 1998;136:1070-4
Kimman GJ (see Rambaldi et al). 1998;136:831-6
Kisslo KB (see Robiolio et al). 1998;136:718-23
Kitzman DW (see Ge et al). 1998;136:1042-50
Kjekshus J (see Andreassen et al). 1998;136:320-8
Kleber FX (see Reindl et al). 1998;136:778-85
Kleiman NS, Lincoff AM, Ohman EM, Harrington RA. Glycoproteins IIb/IIIa inhibitors in acute coronary syndromes: pathophysiologic foundation and clinical findings. 1998;136:532-42
Kleiman NS (see Harrington et al). 1998;136:543-50
Kleiman NS (see Mazur et al). 1998;136:335-44
Kleiman NS (see Mazur et al). 1998;136:504-9
Klein LW (see Calvin et al). 1998;136:373-81
Klein RM, Schwartzkopff B, Strauer BE. Evidence of endothelial dysfunction of epicardial coronary arteries in patients with immunohistochemically proven myocarditis. 1998;136:389-97
Kleinert S (see Gildein et al). 1998;136:276-80
Kligfield PK, Okin PM. Dynamic QT dispersion during exercise. 1998;136:750 (Letter)
Klutstein MW (see Shaheen et al). 1998;136:1061-4
Komuro I (see Suzuki et al). 1998;136:362-3
Kon ND (see Ge et al). 1998;136:1042-50
Kong DF, Califf RM. Post-procedure heparin: boon or burden? 1998;136:183-5 (Editorial)
Kong DF, Peterson ED. Squeezing the "value" from cost data. 1998;136:1-3 (Editorial)
Kong DF (see Alexander et al). 1998;136:176-9
König D (see Reindl et al). 1998;136:778-85
Kontos MC, Arrowood JA, Jesse RL, Ornato JP, Paulsen WHP, Tatu JL, Nixon JV. Comparison between 2-dimensional echocardiography and myocardial perfusion imaging in the emergency department in patients with possible myocardial ischemia. 1998;136:724-33
Kostopoulos K (see De Scheerder et al). 1998;136:345-51
Kottke-Marchant K (see Ardisino et al). 1998;136:57-18
Koyabu S (see Masuoka et al). 1998;136:226-30
Krishnan KRR, George LK, Pieper CF, Jiang W, Arias R, Look A, O'Connor C. Depression and social support in elderly patients with cardiac disease. 1998;136:491-5
Kuo K-J (see Tsai et al). 1998;136:99-102
Kurabayashi M (see Suzuki et al). 1998;136:362-3
Kuroiwa-Matsumoto M (see Shimokawa et al). 1998;136:991-1002
Kvernebo K (see Andreassen et al). 1998;136:320-8
Kyotani S (see Nagaya et al). 1998;136:297-301
Kyrozi EA (see Karpanou et al). 1998;136:765-8

L

- Labbé L (see Bogaty et al). 1998;136:884-93
 Labovitz AJ (see Dolan et al). 1998;136:71-7
 Laden G. HOT MI Pilot Study. 1998;136:749 (Letter)
 Landers M (see Mann et al). 1998;136:658-63
 Lane E (see Shah et al). 1998;136:496-8
 Lang CC (see Choy et al). 1998;136:664-71
 Larsen RL (see Gattis et al). 1998;136:43-8
 Larson MG (see Brand et al). 1998;136:919-27
 Lau K-W, Ding Z-P, Johan A, Lim Y-L. Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study. 1998;136:150-5
 Laudon DA (see Garratt et al). 1998;136:196-204
 Lauer MS. Noninvasive risk stratification after myocardial infarction: Which test is best? 1998;136:565-9 (Editorial)
 Laurent S (see Girerd et al). 1998;136:624-31
 Lavie CJ (see Malik and Lavie). 1998;136:562- (Letter reply)
 Lawrence JH (see Nsah et al). 1998;136:844-51
 Lazzam C (see Cantor et al). 1998;136:1088-95
 Lechin M (see Mazur et al). 1998;136:335-44
 Lederman RJ (see Mendelsohn et al). 1998;136:600-5
 Lee AJ (see Raymond et al). 1998;136:435-42
 Lee M-M (see Kim et al). 1998;136:1070-4
 Lee W-J (see Sheu et al). 1998;136:125-31
 Lee Y-W (see Kim et al). 1998;136:1070-4
 Lefroy DC (see Tousoulis et al). 1998;136:382-8
 Lekakis J, Mavrikakis M, Papamichael C, Papazoglou S, Economou O, Scotiniotis I, Stamatelopoulos K, Vemmos C, Stamatelopoulos S, Mouloupoulos S. Short-term estrogen administration improves abnormal endothelial function in women with systemic sclerosis and Raynaud's phenomenon. 1998;136:905-12
 Lerman BB (see Stein et al). 1998;136:425-34
 Li JS, Bengur AR, Ungerleider RM, Herlong JR, Sanders SP. Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity. 1998;136:1075-80
 Li P (see Taylor et al). 1998;136:792-803
 Liao F, Folsom AR, Brancati FL. Is low magnesium concentration a risk factor for coronary heart disease? the Atherosclerosis Risk in Communities (ARIC) Study. 1998;136:480-90
 Lie KI (see Hautvast et al). 1998;136:1114-20
 Lim Y-L (see Lau et al). 1998;136:150-5
 Lin C (see Shah et al). 1998;136:314-9
 Lin D (see Goldner et al). 1998;136:961-4
 Lin F-C (see Hsieh et al). 1998;136:606-12
 Lin SS, Roger VL, Pascoe R, Seward JB, Pellikka PA. Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: feasibility, safety, and surgical correlations. 1998;136:1010-6
 Lincoff AM (see Kleiman et al). 1998;136:532-42
 Linhart A (see Abergel et al). 1998;136:818-23
 Lipscomb J (see Samsa et al). 1998;136:703-13
 Little WC, Applegate RJ. Coronary angiography before myocardial infarction: Can the culprit site be prospectively recognized? 1998;136:368-70 (Editorial)
 Liu F (see Baumgart et al). 1998;136:136-49
 Liu G (see Zeng et al). 1998;136:852-8
 Lloyd TR, Rydberg A, Ludomirsky A, Telen DE, Shim D, Beckman RH III, Mosca RS, Bove EL. Late fenestration closure in the hypoplastic left heart syndrome: comparison of hemodynamic changes. 1998;136:302-6
 Lobl KK (see Garratt et al). 1998;136:196-204
 Loh E (see Chang et al). 1998;136:329-34
 Loire R (see Nighoghossian et al). 1998;136:1065-9
 Look A (see Krishnan et al). 1998;136:491-5
 Lorenzoni R, Gistri R, Cecchi F, Olivetto I, Chirriati G, Elliott P, McKenna WJ, Camici PG. Coronary vasodilator reserve is impaired in patients with hypertrophic cardiomyopathy and left ventricular dysfunction. 1998;136:972-81

- Love TW (see Bleich et al). 1998;136:741-8
 Lowell M (see Armstrong et al). 1998;136:1051-60
 Ludomirsky A (see Lloyd et al). 1998;136:302-6
 Luria D (see Shaheen et al). 1998;136:1061-4
 Luthern L (see Williams et al). 1998;136:57-62
 Lynch KP III, Yan D'C, Sharma S, Dhar PK, Fyfe DA. Serial echocardiographic assessment of left atrioventricular valve function in young children with ventricular inversion. 1998;136:94-8
 Lytle BW (see Williams et al). 1998;136:57-62

M

- Maccaro P (see Goldner et al). 1998;136:961-4
 Mackie K (see Cantor et al). 1998;136:1088-95
 Madrid AH, del Rey JM, Rubí J, Ortega J, González Rebollo JM, Seara JG, Ripoll E, Moro C. Biochemical markers and cardiac troponin I release after radiofrequency catheter ablation: approach to size of necrosis. 1998;136:948-55
 Magnani B (see Borghi et al). 1998;136:213-25
 Magni G (see Fedele et al). 1998;136:1003-9
 Magnolfi G (see Piovan et al). 1998;136:928-9 (Letter)
 Maiello L (see Hiro et al). 1998;136:1017-20
 Mairesse GH, Vanoverschelde J-LJ, Robert A, Climov D, Detry J-MR, Marwick TH. Pathophysiologic mechanisms underlying dobutamine- and exercise-induced wall motion abnormalities. 1998;136:63-70
 Malakou C (see Karpanou et al). 1998;136:765-8
 Malik FS, Lavie CJ. Angiotensin-converting enzyme gene polymorphisms. 1998;136:562- (Letter reply)
 Manda V (see Twidale et al). 1998;136:647-57
 Mandelzweig L (see Haim et al). 1998;136:245-51
 Mann DE, Damle RS, Kelly PA, Landers M, Otto L, Reiter MJ. Comparison of oversensing during bradycardia pacing in two types of implantable cardioverter-defibrillator systems. 1998;136:658-63
 Manning WJ (see Raymond et al). 1998;136:435-42
 Marchetti O (see Mombelli et al). 1998;136:1106-13
 Marco P (see Roldán et al). 1998;136:956-60
 Marín F (see Roldán et al). 1998;136:956-60
 Marino P (see Borghi et al). 1998;136:213-25
 Mark AL (see Strömman et al). 1998;136:87-93
 Markiewicz W (see Mutlak et al). 1998;136:169-75
 Markiewicz W (see Roguin et al). 1998;136:103-8
 Markowitz SM (see Stein et al). 1998;136:425-34
 Martínez JG (see Roldán et al). 1998;136:956-60
 Marwick TH (see Mairesse et al). 1998;136:63-70
 Marwick TH (see Williams et al). 1998;136:57-62
 Mascherbauer R (see Püerfellner et al). 1998;136:259-63
 Mascioli G (see Brignole et al). 1998;136:264-8
 Maseri A (see Tousoulis et al). 1998;136:382-8
 Masseroli M, Cothren RM, Meier DS, Tuzcu EM, Vince DG, Nissen SE, Thomas JD, Cornhill JF. Quantification of intramural calcification in coronary intravascular ultrasound images with automated image analysis. 1998;136:78-86
 Masuoka H, Ishikura K, Kamei S, Obe T, Seko T, Okuda K, Koyabu S, Tsuneoka K, Tamai T, Sugawa M, Nakano T. Predictive value of remnant-like particles cholesterol/high-density lipoprotein cholesterol ratio as a new indicator of coronary artery disease. 1998;136:226-30
 Matchar DB (see Samsa et al). 1998;136:703-13
 Matsuo H (see Nagaya et al). 1998;136:297-301
 Matsuyama K (see Kamijikkoku et al). 1998;136:231-6
 Matturri L (see Milei et al). 1998;136:1096-105
 Mauguière F (see Nighoghossian et al). 1998;136:1065-9
 Mavrikakis M (see Lekakis et al). 1998;136:905-12
 Maynard C, Every NR. Evaluating treatment for intractable angina pectoris: a challenging clinical and scientific problem. 1998;136:943-4 (Editorial)

- Maynard C (see Shah et al). 1998;136:314-9
- Mazur W, Bitar JN, Lechin M, Grinstead WC, Khalil AA, Khan MM, Sekili S, Zoghbi WA, Raizner AE, Kleiman NS. Coronary flow reserve may predict myocardial recovery after myocardial infarction in patients with TIMI grade 3 flow. 1998;136:335-44
- Mazur W, Bitar JN, Young JB, Khalil AA, Vardan S, Short BC, Rivera JM, Raizner AE, Farmer JA, Zoghbi WA, Kleiman NS. Progressive deterioration of coronary flow reserve after heart transplantation. 1998;136:504-9
- McCowan RJ (see Abi-Mansour et al). 1998;136:632-42
- McGee SR. Physical examination of venous pressure: a critical review. 1998;136:10-8 (Curriculum cardiol.)
- McKenna WJ (see Lorenzoni et al). 1998;136:972-81
- McMechan SR (see Bleich et al). 1998;136:741-8
- Medda M (see Casella et al). 1998;136:894-904
- Mehana N (see Garadah et al). 1998;136:812-7
- Meier B (see Garachemani et al). 1998;136:352-6
- Meier DS (see Masseroli et al). 1998;136:78-86
- Menard J (see Abergel et al). 1998;136:818-23
- Mendelsohn FO, Santos RM, Crowley JJ, Lederman RJ, Cobb FR, Phillips HR, Weissman NJ, Stack RS. Kissing stents in the aortic bifurcation. 1998;136:600-5
- Menozi C (see Brignole et al). 1998;136:264-8
- Merlini PA (see Ardissino et al). 1998;136:57-18
- Messineo FC (see Raymond et al). 1998;136:435-42
- Meyer J (see Rupprecht et al). 1998;136:613-9
- Meyer P (see Calvin et al). 1998;136:373-81
- Meyer RA (see Wong et al). 1998;136:714-7
- Michihata T (see Watanabe et al). 1998;136:533-42
- Milei J, Parodi JC, Alonso GF, Barone A, Grana D, Matturri L. Carotid rupture and intraplaque hemorrhage: immunophenotype and role of cells involved. 1998;136:1096-105
- Miller JM (see Alexander et al). 1998;136:176-9
- Milo S (see Roguin et al). 1998;136:103-8
- Mineoka K (see Ohsawa et al). 1998;136:1081-7
- Miner PD (see Dod et al). 1998;136:109-14
- Misawa H (see Hiraishi et al). 1998;136:837-43
- Mitani K (see Suzuki et al). 1998;136:362-3
- Mitsuhashi T (see Nakagami et al). 1998;136:528-32
- Mizuno T (see Suzuki et al). 1998;136:362-3
- Mohanty PK (see Quigg et al). 1998;136:465-73
- Molina-Viamonte V (see Garratt et al). 1998;136:196-204
- Molitero DJ (see Tan and Molitero). 1998;136:570-3 (Editorial)
- Mombelli G, Marchetti O, Haerberli A, Straub PW. Effect of intravenous heparin on thrombin-antithrombin complex and fibrinopeptide A in unstable angina. 1998;136:1106-13
- Moraes RS (see Rohde et al). 1998;136:31-6
- Moreau T (see Nighoghossian et al). 1998;136:1065-9
- Moreno PR, Fallon JT, Bernardi VH, Harrell L, Weissman NJ, Fuster V, Rodriguez A, Palacios IF. Histopathology of coronary lesions with early loss of minimal luminal diameter after successful percutaneous transluminal coronary angioplasty: Is thrombus a significant contributor? 1998;136:804-11
- Morise AP. Accuracy of heart rate-adjusted ST segments. 1998;136:181-2 (Letter reply)
- Moro C (see Madrid et al). 1998;136:948-55
- Mortara D (see Atwood et al). 1998;136:543-52
- Mortensen LS (see Sajadieh et al). 1998;136:164-8
- Mosca RS (see Lloyd et al). 1998;136:302-6
- Mouloupoulos S (see Lekakis et al). 1998;136:905-12
- Movahed MR (see Hassapoyannes et al). 1998;136:688-95
- Muhlestein JB (see Taylor et al). 1998;136:792-803
- Muller P (see Dziekan et al). 1998;136:22-30
- Muntoni F (see Spyrou et al). 1998;136:474-6
- Mureddu R (see Brignole et al). 1998;136:264-8
- Murohara T (see Kamijikkoku et al). 1998;136:231-6
- Musso G (see Brignole et al). 1998;136:264-8
- Mutlak DM, Habib S, Markiewicz W, Beyar R. Determinants of regional myocardial function in patients with chronic significant coronary stenosis or occlusion. 1998;136:169-75

- Myers J (see Atwood et al). 1998;136:543-52
- Myers J (see Dziekan et al). 1998;136:22-30

N

- Nafe B (see Rupprecht et al). 1998;136:613-9
- Nagai R (see Suzuki et al). 1998;136:362-3
- Nagaya N, Nishikimi T, Uematsu M, Kyotani S, Satoh T, Nakanishi N, Matsuo H, Kangawa K. Secretion patterns of brain natriuretic peptide and atrial natriuretic peptide in patients with or without pulmonary hypertension complicating atrial septal defect. 1998;136:297-301
- Nakae S (see Hiraishi et al). 1998;136:837-43
- Nakagami H, Yamamoto K, Ikeda U, Mitsuhashi T, Goto T, Shimada K. Mitral regurgitation reduces the risk of stroke in patients with nonrheumatic atrial fibrillation. 1998;136:528-32
- Nakanishi N (see Nagaya et al). 1998;136:297-301
- Nakano T (see Masuoka et al). 1998;136:226-30
- Nakaya Y (see Yukinaka et al). 1998;136:859-67
- Nakayama M, Chen C-H, Nevo E, Fetis B, Wong E, Kass DA. Optimal preload adjustment of maximal ventricular power index varies with cardiac chamber size. 1998;136:281-8
- Nannini E (see Cortigiani et al). 1998;136:37-42
- Narayan P (see Papademetriou et al). 1998;136:734-40
- Narula J (see Virmani et al). 1998;136:937-9 (Editorial)
- Natarajan MK (see Cantor et al). 1998;136:1088-95
- Nave K (see Twidale et al). 1998;136:647-57
- Nesser HJ (see Pürerfellner et al). 1998;136:259-63
- Nevo E (see Nakayama et al). 1998;136:281-8
- Nguyen T (see Benzaquen et al). 1998;136:696-702
- Nighoghossian N, Derex L, Perinetti M, Honnorat J, Barthelet M, Loire R, Adeleine P, Dayoub MG, Servan E, Moreau T, Confavreux C, Ryvlin Ph, Mauguère F, Hernet D, Broussolle E, Chazot G, Tiliket C, Vighetto A, Riche G, Bourrat Ch, Trouillas P. Course of valvular strands in patients with stroke: cooperative study with transesophageal echocardiography. 1998;136:1065-9
- Nishikimi T (see Nagaya et al). 1998;136:297-301
- Nishiyama H (see Shaffer et al). 1998;136:307-13
- Nissen SE (see Masseroli et al). 1998;136:78-86
- Nixon JV (see Kontos et al). 1998;136:724-33
- Noike H (see Ohsawa et al). 1998;136:1081-7
- Nomeir AM (see Ge et al). 1998;136:1042-50
- Nomura M (see Yukinaka et al). 1998;136:859-67
- Nsah E, Berg R, Rosenthal L, Hui R, Ramza B, Jumrussirikul P, Lawrence JH, Tomaselli G, Kass D, Calkins H. Relation between impedance and electrode temperature during radiofrequency catheter ablation of accessory pathways and atrioventricular nodal reentrant tachycardia. 1998;136:844-51
- Obe T (see Masuoka et al). 1998;136:226-30
- O'Connor C (see Krishnan et al). 1998;136:491-5
- O'Connor C (see Shah et al). 1998;136:314-9
- O'Connor CM (see Gattis et al). 1998;136:43-8
- O'Connor GT (see Holzberger et al). 1998;136:49-56
- O'Donnell C (see Goldberg et al). 1998;136:189-95
- Oesterle SN, Whitbourn R, Fitzgerald PJ, Yeung AC, Stertzer SH, Dake MD, Yock PG, Virmani R. The stent decade: 1987 to 1997. 1998;136:578-99 (Prog. cardiol.)
- Ofili EO (see Dolan et al). 1998;136:71-7
- Oh B-H (see Kim et al). 1998;136:1070-4
- Ohman EM (see Harrington et al). 1998;136:543-50
- Ohman EM (see Kleiman et al). 1998;136:532-42
- Ohman EM (see Serebruany et al). 1998;136:398-405
- Ohsawa H, Noike H, Kanai M, Yoshinuma M, Mineoka K, Hitsumoto T, Aoyagi K, Sakurai T, Sato S, Uchi T, Kawamura K,

- Tokuhiro K, Uchida Y, Tomioka H. Preventive effects of an antiallergic drug, pemirolast potassium, on restenosis after percutaneous transluminal coronary angioplasty. 1998;136:1081-7
- Ojima K (see Igarashi et al). 1998;136:965-74
- Okazaki O (see Watanabe et al). 1998;136:533-42
- Okin PM (see Kligfield and Okin). 1998;136:750 (Letter)
- Okuda K (see Masuoka et al). 1998;136:226-30
- Olivetto I (see Lorenzoni et al). 1998;136:972-81
- Olona M (see Tornos et al). 1998;136:681-7
- Omoigui NA (see Hassapoyannes et al). 1998;136:688-95
- Opitz C (see Reindl et al). 1998;136:778-85
- Ornato JP (see Kontos et al). 1998;136:724-33
- Orr R (see Foster et al). 1998;136:269-75
- Ortega J (see Madrid et al). 1998;136:948-55
- Otto CM. Valvular aortic stenosis: Which measure of severity is best? 1998;136:940-2 (Editorial)
- Otto L (see Mann et al). 1998;136:653-68
- Ozahowski TP (see Holzberger et al). 1998;136:49-56
- P**
- Padilla F (see Tornos et al). 1998;136:681-7
- Padrini R (see Piovan et al). 1998;136:928-9 (Letter)
- Paicopolis MC (see Holzberger et al). 1998;136:49-56
- Palacios IF (see Moreno et al). 1998;136:804-11
- Palmieri C (see Cortigiani et al). 1998;136:37-42
- Papademetriou V, Narayan P, Rubins H, Collins D, Robins S. Influence of risk factors on peripheral and cerebrovascular disease in men with coronary artery disease, low high-density lipoprotein cholesterol levels, and desirable low-density lipoprotein cholesterol levels. 1998;136:734-40
- Papamichael C (see Lekakis et al). 1998;136:905-12
- Papazoglou S (see Lekakis et al). 1998;136:905-12
- Park D-G (see Kim et al). 1998;136:1070-4
- Park Y-B (see Kim et al). 1998;136:1070-4
- Parodi JC (see Milei et al). 1998;136:1096-105
- Parrillo JE (see Calvin et al). 1998;136:373-81
- Pascoe R (see Lin et al). 1998;136:1010-6
- Paul JE (see Samsa et al). 1998;136:703-13
- Paulsen WHP (see Kontos et al). 1998;136:724-33
- Pavesi PC (see Casella et al). 1998;136:894-904
- Pegues DA (see Dod et al). 1998;136:109-14
- Pellikka PA (see Lin et al). 1998;136:1010-6
- Pentoutsis D, Guérin Y, Favereau X, Zheng H, Funck F, Toussaint M, Corcos T. Preliminary clinical experience with the Bard XT coronary stent. 1998;136:786-91
- Percy RF (see Fesmire et al). 1998;136:237-44
- Perinetti M (see Nighoghossian et al). 1998;136:1065-9
- Perloff JK (see Dod et al). 1998;136:109-14
- Permyer-Miranda G (see Tornos et al). 1998;136:681-7
- Perry KT (see Abi-Mansour et al). 1998;136:632-42
- Perry RC (see Clark and Perry). 1998;136:762-4 (Editorial)
- Perski A, Feleke E, Anderson G, Samad BA, Westerlund H, Ericsson C-G, Rehnqvist N. Emotional distress before coronary bypass grafting limits the benefits of surgery. 1998;136:510-7
- Peter RH (see Crowley et al). 1998;136:913-8
- Peterson ED, Alexander KP. Learning to suspect the unexpected: evaluating women with cardiac syndromes. 1998;136:186-8 (Editorial)
- Peterson ED (see Kong and Peterson). 1998;136:1-3 (Editorial)
- Pfeffer M (see Solomon and Pfeffer). 1998;136:931-33 (Editorial)
- Philbin EF, DiSalvo TG. Managed care for congestive heart failure: influence of payer status on process of care, resource utilization, and short-term outcomes. 1998;136:553-61
- Phillips HR (see Crowley et al). 1998;136:913-8
- Phillips HR (see Mendelsohn et al). 1998;136:600-5
- Philpot J (see Spyrou et al). 1998;136:474-6
- Picano E (see Cortigiani et al). 1998;136:37-42
- Picard MH (see Scherrer-Crosbie et al). 1998;136:769-77
- Pieper CF (see Krishnan et al). 1998;136:491-5
- Piessens JH (see De Scheerder et al). 1998;136:345-51
- Piovan D, Magnolfi G, Ferrari M, Padrini R. Neurohumoral effects of digitalis. 1998;136:928-9 (Letter)
- Pitsavos C (see Dernelis et al). 1998;136:982-7
- Pitt B (see Gheorghiade and Pitt). 1998;136:929 (Letter reply)
- Plat F (see Zannad et al). 1998;136:672-80
- Pohost GM (see Foster et al). 1998;136:269-75
- Polanczyk CA (see Rohde et al). 1998;136:31-6
- Poldermans D (see Rambaldi et al). 1998;136:831-6
- Psychogios A (see Karpanou et al). 1998;136:765-8
- Pugliese M (see Fedele et al). 1998;136:1003-9
- Puma JA (see Crowley et al). 1998;136:913-8
- Pürerfellner H, Mascherbauer R, Nesser HJ. Absence of significant changes in heart rate variability after slow pathway ablation of AV nodal reentrant tachycardia by using serial Holter recordings. 1998;136:259-63
- Puri S (see Dolan et al). 1998;136:71-7
- Q**
- Quigg R, Salyer J, Mohanty PK, Simpson P. Impaired exercise capacity late after cardiac transplantation: influence of chronotropic incompetence, hypertension, and calcium channel blockers. 1998;136:465-73
- R**
- Rabbani LE (see Yazdani et al). 1998;136:357-61
- Rader DJ (see Chang et al). 1998;136:329-34
- Ragot S (see Herpin et al). 1998;136:180 (Letter)
- Rail J (see Bogaty et al). 1998;136:884-93
- Raizner AE (see Mazur et al). 1998;136:335-44
- Raizner AE (see Mazur et al). 1998;136:504-9
- Rambaldi R, Hamburger JN, Geleijnse ML, Poldermans D, Kimman GJ, Aiazian AA, Fioretti PM, Ten Cate FJ, Roelandt JRTC, Serruys PW. Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience. 1998;136:831-6
- Ramee SR (see Silva et al). 1998;136:156-63
- Ramirez-Morgen LM (see Calvin et al). 1998;136:373-81
- Ramza B (see Nsah et al). 1998;136:844-51
- Rapezzi C (see Fattori et al). 1998;136:824-30
- Ratti R (see Dziekan et al). 1998;136:22-30
- Rauf GC (see Shaffer et al). 1998;136:307-13
- Rautaharju P (see Herrington et al). 1998;136:115-24
- Ravani M (see Cortigiani et al). 1998;136:37-42
- Raymond RJ, Lee AJ, Messineo FC, Manning WJ, Silverman DI. Cardiac performance early after cardioversion from atrial fibrillation. 1998;136:435-42
- Reeder GS (see Garratt et al). 1998;136:196-204
- Rehnqvist N (see Perski et al). 1998;136:510-7
- Reicher-Reiss H (see Haim et al). 1998;136:245-51
- Reindl I, Wernecke K-D, Opitz C, Wensel R, König D, Dengler T, Schimke I, Kleber FX. Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction. 1998;136:778-85
- Reinhart W (see Dziekan et al). 1998;136:22-30
- Reisdorff EJ (see Shah et al). 1998;136:496-8
- Reisner SA (see Roguin et al). 1998;136:103-8
- Reiter MJ (see Mann et al). 1998;136:658-63
- Renaud JF (see Girerd et al). 1998;136:624-31
- Render ML (see Shaffer et al). 1998;136:307-13
- Rho J-R (see Kim et al). 1998;136:1070-4
- Ribeiro JP (see Rohde et al). 1998;136:31-6
- Riche G (see Nighoghossian et al). 1998;136:1065-9

- Rigolin VH (see Robiolio et al). 1998;136:718-23
Rinkevich D (see Roguin et al). 1998;136:103-8
Ripoll E (see Madrid et al). 1998;136:948-55
Rivera JM (see Mazur et al). 1998;136:504-9
Robert A (see Mairesse et al). 1998;136:63-70
Robertson D (see Choy et al). 1998;136:664-71
Robertson RM (see Choy et al). 1998;136:664-71
Robins S (see Papademetriou et al). 1998;136:734-40
Robiolio PA, Rigolin VH, Harrison JK, Kisslo KB, Bashore TM.
Doppler pressure half-time method of assessing mitral valve
area: aortic insufficiency does not adversely affect validity.
1998;136:718-23
Robitaille N-M (see Bogaty et al). 1998;136:884-93
Rocchi G (see Fattori et al). 1998;136:824-30
Rodén DM (see Choy et al). 1998;136:664-71
Rodríguez A (see Moreno et al). 1998;136:804-11
Roelandt JRTC (see Rambaldi et al). 1998;136:831-6
Roger VL (see Lin et al). 1998;136:1010-6
Roguin A, Rinkevich D, Milo S, Markiewicz W, Reisner SA. Long-
term follow-up of patients with severe rheumatic tricuspid
stenosis. 1998;136:103-8
Rohde LEP, Polanczyk CA, Moraes RS, Ferlin E, Ribeiro JP. Effect
of partial arrhythmia suppression with amiodarone on heart
rate variability of patients with congestive heart failure.
1998;136:31-6
Roldán V, Marín F, Marco P, Martínez JG, Calatayud R, Sogorb F.
Hypofibrinolysis in atrial fibrillation. 1998;136:956-60
Roney M (see Foster et al). 1998;136:269-75
Rosen S (see Tousoulis et al). 1998;136:382-8
Rosenmann D (see Shaheen et al). 1998;136:1061-4
Rosenthal L (see Nsah et al). 1998;136:844-51
Roukema G (see Singh and Roukema). 1998;136:750 (Letter reply)
Roul G, Germain P, Bareiss P. Does the 6-minute walk test predict
the prognosis in patients with NYHA class II or III chronic
heart failure? 1998;136:449-57
Rubí J (see Madrid et al). 1998;136:948-55
Rubins H (see Papademetriou et al). 1998;136:734-40
Rupprecht H-J, Espinola-Klein C, Erbel R, Nafe B, Brennecke R,
Dietz U, Meyer J. Impact on routine angiographic follow-up
after angioplasty. 1998;136:613-9
Rydberg A (see Lloyd et al). 1998;136:302-6
Rylin Ph (see Nighoghossian et al). 1998;136:1065-9

S

- Sabatino L (see Goldner et al). 1998;136:961-4
Safar ME (see Girerd et al). 1998;136:624-31
St (see Dolan et al). 1998;136:71-7
Sajadieh A, Hansen JF, Mortensen LS, DAVIT Study Group.
Comparison of the prognosis after early versus late recurrent
nonfatal myocardial infarction. 1998;136:164-8
Sakata K (see Yotsukura et al). 1998;136:289-96
Sakurai T (see Ohsawa et al). 1998;136:1081-7
Salmon SM (see Hiro et al). 1998;136:1017-20
Salomone OA, Crook JR, Hossein-Nia M, Holt D, Kaski JC. Serum
sialic acid concentration is not associated with the extent or
severity of coronary artery disease in patients with stable angina
pectoris. 1998;136:620-3
Salomone OA (see Kaski et al). 1998;136:412-7
Salyer J (see Quigg et al). 1998;136:465-73
Samad BA (see Perski et al). 1998;136:510-7
Samama MM (see Becker et al). 1998;136:519-31
Samsa GP, Matchar DB, Goldstein L, Bonito A, Duncan PW,
Lipscomb J, Enarson C, Witter D, Venus P, Paul JE, Weinberger
M. Utilities for major stroke: results from a survey of preferences
among persons at increased risk for stroke.
1998;136:703-13
Samson R (see Donnerstein et al). 1998;136:643-6
Sanders SP (see Li et al). 1998;136:1075-80

- Sanderson JE. Angiotensin-converting enzyme gene polymor-
phisms. 1998;136:562 (Letter)
Santos RM (see Crowley et al). 1998;136:913-8
Santos RM (see Mendelsohn et al). 1998;136:600-5
Sato S (see Ohsawa et al). 1998;136:1081-7
Satoh T (see Nagaya et al). 1998;136:297-301
Savageau J (see Goldberg et al). 1998;136:189-95
Schaufelberger M, Swedberg K. Is 6-minute walk test of value in
congestive heart failure? 1998;136:371-2 (Editorial)
Scherrer-Crosbie M, Cocco-Spofford D, DiSalvo TG, Semigran MJ,
Dec GW, Picard MH. Effect of vesnarinone on cardiac function
in patients with severe congestive heart failure. 1998;136:769-77
Schimke I (see Reindl et al). 1998;136:778-85
Schreiner MS. Safety and effectiveness data: Will children gain
access? 1998;136:4-5 (Editorial)
Schrott HG (see Herrington et al). 1998;136:115-24
Schwab SJ (see Crowley et al). 1998;136:913-8
Schwartz A (see Yazdani et al). 1998;136:357-61
Schwartzkopf B (see Klein et al). 1998;136:389-97
Scotiniotis I (see Lekakis et al). 1998;136:905-12
Seal A (see Twidale et al). 1998;136:647-57
Seara JG (see Madrid et al). 1998;136:948-55
Seghatchian MJ (see Becker et al). 1998;136:S19-31
Sekili S (see Mazur et al). 1998;136:335-44
Seko T (see Masuoka et al). 1998;136:226-30
Selvester RH (see Shah et al). 1998;136:314-9
Semigran MJ (see Scherrer-Crosbie et al). 1998;136:769-77
Sempos CT (see Herrington et al). 1998;136:115-24
Seo J-D (see Kim et al). 1998;136:1070-4
Serebruany VL, Gurbel PA, Shustov AR, Ohman EM, Topol EJ.
Heterogeneity of platelet aggregation and major surface recep-
tor expression in patients with acute myocardial infarction.
1998;136:398-405
Serruys PW (see Deshpande and Serruys). 1998;136:576-7 (Editorial)
Serruys PW (see Rambaldi et al). 1998;136:831-6
Servan E (see Nighoghossian et al). 1998;136:1065-9
Seward JB (see Lin et al). 1998;136:1010-6
Shaddy RE. β -Blocker therapy in young children with congestive
heart failure under consideration for heart transplantation.
1998;136:19-21
Shaffer J, Simbartl L, Render ML, Snow E, Chaney C, Nishiyama H,
Rauf GC, Wexler LF. Patients with stable chronic obstructive
pulmonary disease can safely undergo intravenous dipyri-
damole thallium-201 imaging. 1998;136:307-13
Shah BR, Lin C, Maynard C, Bart B, Selvester RH, Shaw LK,
O'Connor C, Wagner GS. Specificity of electrocardiographic
myocardial infarction screening criteria in patients with nonis-
chemic cardiomyopathy. 1998;136:314-9
Shah CP, Thakur RK, Reisdorff EJ, Lane E, Aufderheide TP, Hayes
OW. QT dispersion may be useful adjunct for detection of
myocardial infarction in the chest pain center. 1998;136:496-8
Shaheen J, Luria D, Klutstein MW, Rosenmann D, Tzivoni D.
Diagnostic value of 12-lead electrocardiogram during dobuta-
mine echocardiographic studies. 1998;136:1061-4
Sharma S (see Lynch et al). 1998;136:94-8
Shaw LK (see Shah et al). 1998;136:314-9
Sheu WH-H, Lee W-J, Jeng C-Y, Young MS, Ding Y-A, Chen Y-T.
Angiotensinogen gene polymorphism is associated with
insulin resistance in nondiabetic men with or without coronary
heart disease. 1998;136:125-31
Shim D (see Lloyd et al). 1998;136:302-6
Shim D (see Wong et al). 1998;136:714-7
Shimada K (see Nakagami et al). 1998;136:528-32
Shimokawa H, Kuroiwa-Matsumoto M, Takeshita A. Cytokine gen-
eration capacities of monocytes are reduced in patients with
severe heart failure. 1998;136:991-1002
Short BC (see Mazur et al). 1998;136:504-9
Shustov AR (see Serebruany et al). 1998;136:398-405
Silva JA, White CJ, Collins TJ, Ramee SR. Morphologic comparison
of atherosclerotic lesions in native coronary arteries and

- saphenous vein grafts with intracoronary angiography in patients with unstable angina. 1998;136:156-63
- Silverman DI (see Raymond et al). 1998;136:435-42
- Simard S (see Bogaty et al). 1998;136:884-93
- Simbartl L (see Shaffer et al). 1998;136:307-13
- Simonsen S (see Andreassen et al). 1998;136:320-8
- Simpson P (see Quigg et al). 1998;136:465-73
- Singh J, Roukema G. Dynamic QT dispersion during exercise. 1998;136:750 (Letter reply)
- Singh M, Juneja R, Bali HK, Varma JS. Autonomic functions in restrictive cardiomyopathy and constrictive pericarditis: a comparison. 1998;136:443-8
- Sinković A. Pretreatment plasminogen activator inhibitor-1 (PAI-1) levels and the outcome of thrombolysis with streptokinase in patients with acute myocardial infarction. 1998;136:406-11
- Snow E (see Shaffer et al). 1998;136:307-13
- Sogorb F (see Roldán et al). 1998;136:956-60
- Sohn D-W (see Kim et al). 1998;136:1070-4
- Soler JS (see Tornos et al). 1998;136:681-7
- Solomon SD, Pfeffer M. Myocardial infarction, ventricular remodeling and angiotensin-converting enzyme inhibition: where we stand today. 1998;136:931-3 (Editorial)
- Solymoss S (see Bogaty et al). 1998;136:884-93
- Spyrou N, Philpot J, Foale R, Camici PG, Muntoni F. Evidence of left ventricular dysfunction in children with merosin-deficient congenital muscular dystrophy. 1998;136:474-6
- Staal MJ (see Hautvast et al). 1998;136:1114-20
- Stack RS (see Crowley et al). 1998;136:913-8
- Stack RS (see Mendelsohn et al). 1998;136:600-5
- Stamatelopoulous K (see Lekakis et al). 1998;136:905-12
- Stamatelopoulous S (see Lekakis et al). 1998;136:905-12
- Stanley AWH Jr (see Foster et al). 1998;136:269-75
- Stechel J (see Goldner et al). 1998;136:961-4
- Stefanadis C (see Dornellis et al). 1998;136:982-7
- Stefanadis C (see Trikas et al). 1998;136:988-90
- Stein KM, Karagounis LA, Markowitz SM, Anderson JL, Lerman BB. Heart rate changes preceding ventricular ectopy in patients with ventricular tachycardia caused by reentry, triggered activity, and automaticity. 1998;136:425-34
- Stertzer SH (see Oesterle et al). 1998;136:578-99 (Prog. cardi.)
- Stevenson LW (see Economides and Stevenson). 1998;136:6-9 (Editorial)
- Stratmann HG, Mark AL, Amato M, Wittry MD, Younis LT. Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction. 1998;136:87-93
- Straub PW (see Mombelli et al). 1998;136:1106-13
- Strauer BE (see Klein et al). 1998;136:389-97
- Strauss BH (see Cantor et al). 1998;136:1088-95
- Sugawa M (see Masuoka et al). 1998;136:226-30
- Sugiura T (see Hattori et al). 1998;136:458-64
- Sumimoto T (see Hattori et al). 1998;136:458-64
- Suryapranata H (see van't Hof et al). 1998;136:518-27
- Suzuki T, Hayashi D, Yamazaki T, Mizuno T, Kanda Y, Komuro I, Kurabayashi M, Yamaoki K, Mitani K, Hirai H, Nagai R, Yazaki Y. Elevated B-type natriuretic peptide levels after anthracycline administration. 1998;136:362-3
- Swedberg K (see Schaufelberger and Swedberg). 1998;136:371-2 (Editorial)
- Takeda N (see Hiraishi et al). 1998;136:837-43
- Takeshita A (see Shimokawa et al). 1998;136:991-1002
- Tamai T (see Masuoka et al). 1998;136:226-30
- Tan J (see Zeng et al). 1998;136:852-8
- Tan WA, Moliterno DJ. TIMI flow and surrogate end points: what you see is not always what you get. 1998;136:570-3 (Editorial)
- Tatu JL (see Kontos et al). 1998;136:724-33
- Tayama S (see Kamijikkoku et al). 1998;136:231-6
- Taylor GS, Muhlestein JB, Wagner GS, Bair TL, Li P, Anderson JL. Implementation of a computerized cardiovascular information system in a private hospital setting. 1998;136:792-803
- Telen DE (see Lloyd et al). 1998;136:302-6
- Ten Cate FJ (see Rambaldi et al). 1998;136:831-6
- Tentolouris K (see Trikas et al). 1998;136:988-90
- Thakur RK (see Shah et al). 1998;136:496-8
- Thomas JD (see Masseroli et al). 1998;136:78-86
- Tiliket C (see Nighoghossian et al). 1998;136:1065-9
- Tobis JM (see Hiro et al). 1998;136:1017-20
- Tokuhiro K (see Ohsawa et al). 1998;136:1081-7
- Tomaselli G (see Nsah et al). 1998;136:844-51
- Tomiooka H (see Ohsawa et al). 1998;136:961-4
- Tomono Y (see Yotsukura et al). 1998;136:289-96
- Topol EJ. The future of antithrombotic and antiplatelet therapy for ischemic heart disease. 1998;136:566-8
- Topol EJ (see Benzaquen et al). 1998;136:696-702
- Topol EJ (see Serebruany et al). 1998;136:398-405
- Topol EJ (see Zabel et al). 1998;136:868-76
- Tornos MP, Olona M, Permanyer-Miralda G, Evangelista A, Candell J, Padilla F, Soler JS. Heart failure after aortic valve replacement for aortic regurgitation: prospective 20-year study. 1998;136:681-7
- Tousoulis D, Davies G, Crake T, Lefroy DC, Rosen S, Maseri A. Angiographic characteristics of infarct-related and non-infarct-related stenoses in patients in whom stable angina progressed to acute myocardial infarction. 1998;136:382-8
- Tousoulis D (see Chen et al). 1998;136:877-83
- Toussaint M (see Pentousis et al). 1998;136:786-91
- Toutouzas P (see Dornellis et al). 1998;136:982-7
- Toutouzas P (see Trikas et al). 1998;136:988-90
- Toutouzas PK (see Karpanou et al). 1998;136:765-8
- Trikas A, Tentolouris K, Katsimakis G, Antoniou J, Stefanadis C, Toutouzas P. Exercise capacity in patients with β -thalassemia major: relation to left ventricular and atrial size and function. 1998;136:988-90
- Trouillas P (see Nighoghossian et al). 1998;136:1065-9
- Tsai L-M, Kuo K-J, Chen J-H. Effects of spontaneous respiration on transmitral Doppler flow patterns in normal subjects and patients with coronary artery disease. 1998;136:99-102
- Tsatskis B (see Ilia et al). 1998;136:499-503
- Tsiamis E (see Dornellis et al). 1998;136:982-7
- Tsuneoka K (see Masuoka et al). 1998;136:226-30
- Tung CY (see Alexander et al). 1998;136:176-9
- Turgeon J (see Bogaty et al). 1998;136:884-93
- Tuzcu EM (see Masseroli et al). 1998;136:78-86
- Twidale N, Manda V, Nave K, Seal A. Predictors of outcome after radiofrequency catheter ablation of the atrioventricular node for atrial fibrillation and congestive heart failure. 1998;136:647-57
- Tzivoni D (see Shaheen et al). 1998;136:1061-4
- U**
- Uchi T (see Ohsawa et al). 1998;136:1081-7
- Uchida Y (see Ohsawa et al). 1998;136:961-4
- Uematsu M (see Nagaya et al). 1998;136:297-301
- Ungerleider RM (see Li et al). 1998;136:1075-80
- V**
- Vaitkus PT, Adele C, Wells SK, Zehnacker JP. The evolving costs of intracoronary stents. 1998;136:132-5
- VandenBerg BJ (see Calvin et al). 1998;136:373-81
- van Gilst WH (see Hautvast et al). 1998;136:1114-20
- Vanoverschelde J-LJ (see Mairesse et al). 1998;136:63-70
- van't Hof AWJ, de Boer M-J, Suryapranata H, Hoorntje JCA, Zijlstra F. Incidence and predictors of restenosis after suc-

cessful primary coronary angioplasty for acute myocardial infarction: the importance of age and procedural result. 1998; 136:518-27

- Vardan S (see Mazur et al). 1998;136:504-9
Varma JS (see Singh et al). 1998;136:443-8
Vázquez de Prada JA (see Zarauza et al). 1998;136:1030-41
Vemmos C (see Lekakis et al). 1998;136:905-12
Venus P (see Samsa et al). 1998;136:703-13
Vidhun R (see Yazdani et al). 1998;136:357-61
Vighetto A (see Nighoghossian et al). 1998;136:1065-9
Vilchez FG (see Zarauza et al). 1998;136:1030-41
Vince DG (see Masseroli et al). 1998;136:78-86
Virmani R, Narula J, Farb A. When neoangiogenesis richocets. 1998;136:937-9 (Editorial)
Virmani R (see Oesterle et al). 1998;136:578-99 (Prog. cardiol.)
Vitarelli A (see Fedele et al). 1998;136:1003-9
Voodi L (see Fearon et al). 1998;136:759-61 (Editorial)
Vrain J (see Dolan et al). 1998;136:71-7
Vyssoulis GP (see Karpanou et al). 1998;136:765-8

W

- Wagner GS (see Shah et al). 1998;136:314-9
Wagner GS (see Taylor et al). 1998;136:792-803
Walsh M (see Garadah et al). 1998;136:812-7
Wang C-H (see Cherng et al). 1998;136:1021-9
Wang H (see Zeng et al). 1998;136:852-8
Wang K (see De Scheerder et al). 1998;136:345-51
Wang X (see Zeng et al). 1998;136:852-8
Warner JG Jr (see Ge et al). 1998;136:1042-50
Watanabe T, Harumi K, Akutsu Y, Yamanaka H, Michihata T, Okazaki O, Katagiri T. Correlation between exercise-induced ischemic ST-segment depression and myocardial blood flow quantified by positron emission tomography. 1998;136:533-42
Weinberger M (see Samsa et al). 1998;136:703-13
Weintraub WS. Clinical cardiovascular databases: ready for prime time? 1998;136:751-2 (Editorial)
Weissman NJ (see Mendelsohn et al). 1998;136:600-5
Weissman NJ (see Moreno et al). 1998;136:804-11
Wells SK (see Vaitkus et al). 1998;136:132-5
Wenger NK (see Herrington et al). 1998;136:115-24
Wensel R (see Reindl et al). 1998;136:778-85
Werneck K-D (see Reindl et al). 1998;136:778-85
Westerlund H (see Perski et al). 1998;136:510-7
Wexler LF (see Shaffer et al). 1998;136:307-13
Wharton DR (see Fesmire et al). 1998;136:237-44
Whellan DJ (see Alexander et al). 1998;136:176-9
Whitbourn R (see Oesterle et al). 1998;136:578-99 (Prog. cardiol.)
White CJ (see Silva et al). 1998;136:156-63
Wilkinson JL (see Gildein et al). 1998;136:276-80
Williams MJ, Luthern L, Blackburn G, Lytle BW, Marwick TH. Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic left ventricular dysfunction. 1998;136:57-62
Wilson PWF (see Kannel et al). 1998;136:205-12
Witter D (see Samsa et al). 1998;136:703-13
Wittry MD (see Stratmann et al). 1998;136:87-93
Wolf PA (see Brand et al). 1998;136:919-27
Wong E (see Nakayama et al). 1998;136:281-8
Wong JA, Shim D, Khoury PR, Meyer RA. Validation of color Doppler measurements of minimum patent ductus arteriosus diameters: significance for coil embolization. 1998;136:714-7

- Wood AJJ (see Choy et al). 1998;136:664-71
Wu D (see Hsieh et al). 1998;136:606-12

Y

- Yamamoto K (see Nakagami et al). 1998;136:528-32
Yamanaka H (see Watanabe et al). 1998;136:533-42
Yamaoki K (see Suzuki et al). 1998;136:362-3
Yamaura M (see Igarashi et al). 1998;136:965-74
Yamazaki T (see Suzuki et al). 1998;136:362-3
Yan D'C (see Lynch et al). 1998;136:94-8
Yang C (see Zeng et al). 1998;136:852-8
Yarzebski J (see Goldberg et al). 1998;136:189-95
Yazaki Y (see Suzuki et al). 1998;136:362-3
Yazdani S, Dimon AD, Vidhun R, Gulotta C, Schwartz A, Rabbani LE. Inflammatory profile in unstable angina versus stable angina in patients undergoing percutaneous interventions. 1998; 136:357-61
Yeung AC (see Oesterle et al). 1998;136:578-99 (Prog. cardiol.)
Yock PG (see Oesterle et al). 1998;136:578-99 (Prog. cardiol.)
Yoshinuma M (see Ohsawa et al). 1998;136:1081-7
Yotsukura M, Fujii K, Katayama A, Tomono Y, Ando H, Sakata K, Ishihara T, Ishikawa K. Nine-year follow-up study of heart rate variability in patients with Duchenne-type progressive muscular dystrophy. 1998;136:289-96
Young JB (see Mazur et al). 1998;136:504-9
Young MS (see Sheu et al). 1998;136:125-31
Younis LT (see Stratmann et al). 1998;136:87-93
Yuasa F (see Hattori et al). 1998;136:458-64
Yukinaka M, Nomura M, Ito S, Nakaya Y. Mismatch between myocardial accumulation of ¹²³I-MIBG and ^{99m}Tc-MIBI and late ventricular potentials in patients after myocardial infarction: association with the development of ventricular arrhythmias. 1998;136:859-67

Z

- Zabel KM, Granger CB, Becker RC, Bovill EG, Hirsh J, Aylward PE, Topol EJ, Califf RM. Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I. 1998;136:868-76
Zambrotta V (see Goldner et al). 1998;136:961-4
Zannad F, Chati Z, Guest M, Plat F. Differential effects of fosinopril and enalapril in patients with mild to moderate chronic heart failure. 1998;136:672-80
Zarauza J, Ares M, Vilchez FG, Hernandez JP, Gutiérrez B, Figueroa A, Vázquez de Prada JA, Durán RM. An integrated approach to the quantification of aortic regurgitation by Doppler echocardiography. 1998;136:1030-41
Zardini P (see Borghi et al). 1998;136:213-25
Zehnacker JP (see Vaitkus et al). 1998;136:132-5
Zeng C, Zhu Z, Liu G, Hu W, Wang X, Yang C, Wang H, He D, Tan J. Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope. 1998; 136:852-8
Zheng H (see Pentousis et al). 1998;136:786-91
Zhu D (see Donnerstein et al). 1998;136:643-6
Zhu Z (see Zeng et al). 1998;136:852-8
Zijlstra F (see van't Hof et al). 1998;136:518-27
Zinsmeister AR (see Allen et al). 1998;136:418-24
Zoghbi WA (see Mazur et al). 1998;136:335-44
Zoghbi WA (see Mazur et al). 1998;136:504-9

Subject index*

A

Accounting

Squeezing the "value" from cost data (Kong and Peterson). 1998;136:1-3 (Editorial)

Activated partial thromboplastin time; see Partial thromboplastin time

Adenosine

Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42

Intravenous adenosine and lidocaine in patients with acute myocardial infarction (Garraff et al). 1998;136:196-204

Administration, oral

Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope (Zeng et al). 1998;136:852-8

Adrenergic beta receptor blockers

β -Blocker therapy in young children with congestive heart failure under consideration for heart transplantation (Shaddy). 1998;136:19-21

Age factors

Incidence and predictors of restenosis after successful primary coronary angioplasty for acute myocardial infarction: the importance of age and procedural result (van't Hof et al). 1998;136:518-27

Sex differences in symptom presentation associated with acute myocardial infarction: a population-based perspective (Goldberg et al). 1998;136:189-95

Aged

Depression and social support in elderly patients with cardiac disease (Krishnan et al). 1998;136:491-5

Is optimal angiotensin-converting enzyme inhibitor dosing neglected in elderly patients with heart failure? (Gattis et al). 1998;136:43-8

Air Force/Texas Coronary Atherosclerosis Prevention Study

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Alteplase

An angiographic assessment of alteplase: double-bolus and front-loaded infusion regimens in myocardial infarction (Bleich et al). 1998;136:741-8

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Pretreatment plasminogen activator inhibitor-1 (PAI-1) levels and the outcome of thrombolysis with streptokinase in patients with acute myocardial infarction (Sinkovič). 1998;136:406-11

American College of Cardiology

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Amiodarone

Effect of partial arrhythmia suppression with amiodarone on heart rate variability of patients with congestive heart failure (Rohde et al). 1998;136:31-6

Amyloidosis

Contribution of magnetic resonance imaging in the differential diagnosis of cardiac amyloidosis and symmetric hypertrophic cardiomyopathy (Fattori et al). 1998;136:824-30

Angina, unstable

Clinical predictors easily obtained at presentation predict resource utilization in unstable angina (Calvin et al). 1998;136:373-81

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:S7-18

Effect of intravenous heparin on thrombin-antithrombin complex and fibrinopeptide A in unstable angina (Mombelli et al). 1998;136:1106-13

Fasting and postprandial ischemic threshold in patients with unstable angina with and without postprandial angina at rest (Figueras and Domingo). 1998;136:252-8

Morphologic comparison of atherosclerotic lesions in native coronary arteries and saphenous vein grafts with intracoronary angiography in patients with unstable angina (Silva et al). 1998;136:156-63

Patient risk or physician practice: What factors drive resource use in unstable angina? (Eisenstein). 1998;136:365-7 (Editorial)

Angina pectoris

Angiographic characteristics of infarct-related and non-infarct-related stenoses in patients in whom stable angina progressed to acute myocardial infarction (Tousoulis et al). 1998;136:382-8

Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina (Bogaty et al). 1998;136:884-93

Differential plasma endothelin levels in subgroups of patients with angina and angiographically normal coronary arteries (Kaski et al). 1998;136:412-7

Evaluating treatment for intractable angina pectoris: a challenging clinical and scientific problem (Maynard and Every). 1998;136:943-4 (Editorial)

Inflammatory profile in unstable angina versus stable angina in patients undergoing percutaneous interventions (Yazdani et al). 1998;136:357-61

Prolonged heparin after uncomplicated coronary interventions: a prospective, randomized trial (Garachemani et al). 1998;136:352-6

Serum sialic acid concentration is not associated with the extent or severity of coronary artery disease in patients with stable angina pectoris (Salomone et al). 1998;136:620-3

Spinal cord stimulation in chronic intractable angina pectoris: a randomized, controlled efficacy study (Hautvast et al). 1998;136:1114-20

Angiography; see Coronary angiography

An angiographic assessment of alteplase: double-bolus and front-loaded infusion regimens in myocardial infarction (Bleich et al). 1998;136:741-8

Coronary angiography before myocardial infarction: Can the culprit site be prospectively recognized? (Little and Applegate). 1998;136:368-70 (Editorial)

Differential plasma endothelin levels in subgroups of patients with angina and angiographically normal coronary arteries (Kaski et al). 1998;136:412-7

Impact on routine angiographic follow-up after angioplasty (Rupprecht et al). 1998;136:613-9

Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study (Lau et al). 1998;136:150-5

Treatment of long dissections by use of a single long or multiple short stents: clinical and angiographic follow-up (De Scheerder et al). 1998;136:345-51

Angioplasty

Post-procedure heparin: boon or burden? (Kong and Califf). 1998;136:183-5 (Editorial)

Angioplasty, balloon

Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobut-

*July, pp. 1-182; August, pp. 183-364; September, pp. 365-564; October, part 1, pp. 565-750; part 2, pp. S1-S68; November, pp. 751-930; December, pp. 931-1120.

Angioplasty, balloon—cont'd

amine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6

Failed stent delivery: importance for modern interventional cardiology (Buller). 1998;136:945-7 (Editorial)

Treatment of long dissections by use of a single long or multiple short stents: clinical and angiographic follow-up (De Scheerder et al). 1998;136:345-51

Angioplasty, transluminal, percutaneous coronary

Coronary flow reserve may predict myocardial recovery after myocardial infarction in patients with TIMI grade 3 flow (Mazur et al). 1998;136:335-44

Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6

Histopathology of coronary lesions with early loss of minimal luminal diameter after successful percutaneous transluminal coronary angioplasty: Is thrombus a significant contributor? (Moreno et al). 1998;136:804-11

Impact on routine angiographic follow-up after angioplasty (Rupprecht et al). 1998;136:613-9

Incidence and predictors of restenosis after successful primary coronary angioplasty for acute myocardial infarction: the importance of age and procedural result (van't Hof et al). 1998;136:518-27

Inflammatory profile in unstable angina versus stable angina in patients undergoing percutaneous interventions (Yazdani et al). 1998;136:357-61

Preventive effects of an antiallergic drug, pemirolast potassium, on restenosis after percutaneous transluminal coronary angioplasty (Ohsawa et al). 1998;136:1081-7

Prolonged heparin after uncomplicated coronary interventions: a prospective, randomized trial (Garachemani et al). 1998;136:352-6

Angiotensin-converting enzyme inhibitors

Changes in left ventricular mass and volumes in patients receiving angiotensin-converting enzyme inhibitor therapy for left ventricular dysfunction after Q-wave myocardial infarction (Poster et al). 1998;136:269-75

Is optimal angiotensin-converting enzyme inhibitor dosing neglected in elderly patients with heart failure? (Gattis et al). 1998;136:43-8

Myocardial infarction, ventricular remodeling and angiotensin-converting enzyme inhibition: where we stand today (Solomon and Pfeffer). 1998;136:931-3 (Editorial)

Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope (Zeng et al). 1998;136:852-8

Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic left ventricular dysfunction (Williams et al). 1998;136:57-62

Angiotensinogen

Angiotensinogen gene polymorphism is associated with insulin resistance in nondiabetic men with or without coronary heart disease (Sheu et al). 1998;136:125-31

Anti-arrhythmia agents

Effect of partial arrhythmia suppression with amiodarone on heart rate variability of patients with congestive heart failure (Rohde et al). 1998;136:31-6

Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56

Antibiotics, anthracycline

Elevated B-type natriuretic peptide levels after anthracycline administration (Suzuki et al). 1998;136:362-3

Anticoagulants

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:57-18

Post-procedure heparin: boon or burden? (Kong and Califf). 1998;136:183-5 (Editorial)

Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Antifibrinolytic agents

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Antineoplastic agents

Elevated B-type natriuretic peptide levels after anthracycline administration (Suzuki et al). 1998;136:362-3

Antiplasmin

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Antiplatelet agents; see Platelet aggregation inhibitors

Antithrombin III

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Antithrombins

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:57-18

Effect of intravenous heparin on thrombin-antithrombin complex and fibrinopeptide A in unstable angina (Mombelli et al). 1998;136:1106-13

Aorta

Heart failure after aortic valve replacement for aortic regurgitation: prospective 20-year study (Tornos et al). 1998;136:681-7

Kissing stents in the aortic bifurcation (Mendelsohn et al). 1998;136:600-5

Aortic aneurysm, abdominal

Correlates of in-hospital cost among patients undergoing abdominal aortic aneurysm repair (Benzaquen et al). 1998;136:696-702

Aortic dissection; see Dissection

Aortic valve

Long-term follow-up of patients with severe rheumatic tricuspid stenosis (Roguin et al). 1998;136:103-8

Aortic valve insufficiency

Doppler pressure half-time method of assessing mitral valve area: aortic insufficiency does not adversely affect validity (Robiolio et al). 1998;136:718-23

Heart failure after aortic valve replacement for aortic regurgitation: prospective 20-year study (Tornos et al). 1998;136:681-7

An integrated approach to the quantification of aortic regurgitation by Doppler echocardiography (Zarauza et al). 1998;136:1030-41

Three-dimensional surface area of the aortic valve orifice by three-dimensional echocardiography: clinical validation of a novel index for assessment of aortic stenosis (Ge et al). 1998;136:1042-50

Aortic valve stenosis

Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: feasibility, safety, and surgical correlations (Lin et al). 1998;136:1010-6

Prognostic significance of late-peaking left ventricular velocity contour in patients with aortic stenosis undergoing valve replacement (Dolan et al). 1998;136:71-7

Valvular aortic stenosis: Which measure of severity is best? (Otto). 1998;136:940-2 (Editorial)

Apoproteins

Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74

Appetite suppressants

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Arrhythmia

- Effect of partial arrhythmia suppression with amiodarone on heart rate variability of patients with congestive heart failure (Rohde et al). 1998;136:31-6
- Mismatch between myocardial accumulation of ^{123}I -MIBG and $^{99\text{m}}\text{Tc}$ -MIBI and late ventricular potentials in patients after myocardial infarction: association with the development of ventricular arrhythmias (Yukinaka et al). 1998;136:859-67
- Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56
- Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8

Arterial occlusive diseases

- Complex stenosis morphology predicts late reocclusion during follow-up after myocardial infarction in patients with patent infarct-related coronary arteries (Chen et al). 1998;136:877-83
- Determinants of regional myocardial function in patients with chronic significant coronary stenosis or occlusion (Mutlak et al). 1998;136:169-75
- Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6
- Kissing stents in the aortic bifurcation (Mendelsohn et al). 1998;136:600-5
- Prospective echocardiographic analysis of progressive obstruction of the proximal pulmonary artery in congenital heart disease and obstructed pulmonary flow (Hiraishi et al). 1998;136:837-43

Aspirin

- Effect of intravenous heparin on thrombin-antithrombin complex and fibrinogen in unstable angina (Mombelli et al). 1998;136:1106-13

Atherosclerosis

- Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina (Bogaty et al). 1998;136:884-93
- Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27
- Inflammatory profile in unstable angina versus stable angina in patients undergoing percutaneous interventions (Yazdani et al). 1998;136:357-61
- Is low magnesium concentration a risk factor for coronary heart disease? the Atherosclerosis Risk in Communities (ARIC) Study (Liao et al). 1998;136:480-90
- Lipoprotein(a) levels and heart transplantation atherosclerosis (Chang et al). 1998;136:329-34
- Morphologic comparison of atherosclerotic lesions in native coronary arteries and saphenous vein grafts with intracoronary angiography in patients with unstable angina (Silva et al). 1998;136:156-63
- Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:S19-31
- Quantification of intramural calcification in coronary intravascular ultrasound images with automated image analysis (Masseroli et al). 1998;136:78-86
- When neoangiogenesis richocets (Virmani et al). 1998;136:937-9 (Editorial)

Atherosclerosis Risk in Communities Study

- Is low magnesium concentration a risk factor for coronary heart disease? the Atherosclerosis Risk in Communities (ARIC) Study (Liao et al). 1998;136:480-90

Athletics; see Sports**Atrial fibrillation**

- Atrial transport function after the Maze procedure for atrial fibrillation: a 10-year clinical experience (Cox). 1998;136:934-6 (Editorial)

- Cardiac performance early after cardioversion from atrial fibrillation (Raymond et al). 1998;136:435-42
- Conversion efficacy and safety of repeated doses of ibutilide in patients with atrial flutter and atrial fibrillation (Abi-Mansour et al). 1998;136:632-42
- Electrical cardioversion of atrial fibrillation or flutter with conscious sedation in the age of cost containment (Goldner et al). 1998;136:961-4
- Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74
- Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60
- Mitral regurgitation reduces the risk of stroke in patients with nonrheumatic atrial fibrillation (Nakagami et al). 1998;136:528-32
- Predictors of outcome after radiofrequency catheter ablation of the atrioventricular node for atrial fibrillation and congestive heart failure (Twidale et al). 1998;136:647-57

Atrial flutter

- Conversion efficacy and safety of repeated doses of ibutilide in patients with atrial flutter and atrial fibrillation (Abi-Mansour et al). 1998;136:632-42
- Electrical cardioversion of atrial fibrillation or flutter with conscious sedation in the age of cost containment (Goldner et al). 1998;136:961-4

Atrial function, left

- Effects of postural changes on left atrial function in patients with hypertrophic cardiomyopathy (Dernellis et al). 1998;136:982-7
- Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74
- Exercise capacity in patients with β -thalassemia major: relation to left ventricular and atrial size and function (Trikas et al). 1998;136:988-90
- Restoration of atrial mechanical function after maze operation in patients with structural heart disease (Kim et al). 1998;136:1070-4

Atrial natriuretic factor

- Secretion patterns of brain natriuretic peptide and atrial natriuretic peptide in patients with or without pulmonary hypertension complicating atrial septal defect (Nagaya et al). 1998;136:297-301

Atrioventricular node

- Atrial transport function after the Maze procedure for atrial fibrillation: a 10-year clinical experience (Cox). 1998;136:934-6 (Editorial)

Atrioventricular valve

- Serial echocardiographic assessment of left atrioventricular valve function in young children with ventricular inversion (Lynch et al). 1998;136:94-8

Automated image analysis; see Image processing, computer assisted**Autonomic nervous system**

- Abnormalities of the QT interval in primary disorders of autonomic failure (Choy et al). 1998;136:664-71
- Autonomic functions in restrictive cardiomyopathy and constrictive pericarditis: a comparison (Singh et al). 1998;136:443-8

B**Balloon dilatation**

- Preliminary clinical experience with the Bard XT coronary stent (Pentousis et al). 1998;136:786-91
- Pulmonary valve annulus grows after balloon dilatation of

Balloon dilatation—cont'd

neonatal critical pulmonary valve stenosis (Gildein et al). 1998;136:276-80

Treatment of long dissections by use of a single long or multiple short stents: clinical and angiographic follow-up (De Scheerder et al). 1998;136:345-51

Bard XT stent; see Stents

Bedside monitoring

Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Beta blockers; see Adrenergic beta receptor blockers

Bicycle exercise test; see Exercise test

Bicycling

Vascular and cardiac remodeling in world class professional cyclists (Abergel et al). 1998;136:818-23

Biochemical markers; see Biological markers

Biological markers

Biochemical markers and cardiac troponin I release after radiofrequency catheter ablation: approach to size of necrosis (Madrid et al). 1998;136:948-55

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:S7-18

Glycoproteins IIb/IIIa inhibitors in acute coronary syndromes: pathophysiologic foundation and clinical findings (Kleiman et al). 1998;136:S32-42

Inflammatory profile in unstable angina versus stable angina in patients undergoing percutaneous interventions (Yazdani et al). 1998;136:357-61

Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:S19-31

Role and significance of coagulation markers in understanding and treating acute coronary syndromes—introduction (Califf). 1998;136:S1-6

Blood circulation

Correlation between exercise-induced ischemic ST-segment depression and myocardial blood flow quantified by positron emission tomography (Watanabe et al). 1998;136:533-42

Exercise capacity in heart transplant recipients: relation to impaired endothelium-dependent vasodilation of the peripheral microcirculation (Andreassen et al). 1998;136:320-8

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

Blood coagulation

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:S7-18

Glycoproteins IIb/IIIa inhibitors in acute coronary syndromes: pathophysiologic foundation and clinical findings (Kleiman et al). 1998;136:S32-42

How does warfarin affect the activated coagulation time? (Chang et al). 1998;136:477-9

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:S19-31

Relation between inhibition of platelet aggregation and clinical outcomes (Harrington et al). 1998;136:S43-50

Role and significance of coagulation markers in understanding and treating acute coronary syndromes—introduction (Califf). 1998;136:S1-6

Blood flow velocity

Are high-velocity tricuspid and pulmonary regurgitation endocarditis risk substrates? (Dod et al). 1998;136:109-14

Effects of exercise training on limb blood flow in patients with reduced ventricular function (Dziekan et al). 1998;136:22-30

Effects of spontaneous respiration on transmitral Doppler flow patterns in normal subjects and patients with coronary artery disease (Tsai et al). 1998;136:99-102

Blood platelets

Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:S19-31

Blood pressure

Effects of long-term vasodilator therapy in patients with carotid sinus hypersensitivity (Brignole et al). 1998;136:264-8

Exaggerated blood pressure response at exercise in normotensive subjects: demographic and stress performance characteristics (Ilija et al). 1998;136:499-503

Blood proteins

Secretion patterns of brain natriuretic peptide and atrial natriuretic peptide in patients with or without pulmonary hypertension complicating atrial septal defect (Nagaya et al). 1998;136:297-301

Blood vessel prosthesis

Morphologic comparison of atherosclerotic lesions in native coronary arteries and saphenous vein grafts with intracoronary angiography in patients with unstable angina (Silva et al). 1998;136:156-63

Bradycardia

Comparison of oversensing during bradycardia pacing in two types of implantable cardioverter-defibrillator systems (Mann et al). 1998;136:658-63

Brain natriuretic peptide

Secretion patterns of brain natriuretic peptide and atrial natriuretic peptide in patients with or without pulmonary hypertension complicating atrial septal defect (Nagaya et al). 1998;136:297-301

Bronchial spasm

Patients with stable chronic obstructive pulmonary disease can safely undergo intravenous dipyridamole thallium-201 imaging (Shaffer et al). 1998;136:307-13

Bundle-branch block

Sex differences in ventricular function in patients with right bundle branch block (Allen et al). 1998;136:418-24

C

C-reactive protein

C-reactive protein in postinfarction heart rupture (Beranek). 1998;136:563-4 (Letter)

Caffeine

Acute effects of caffeine ingestion on signal-averaged electrocardiograms (Donnerstein et al). 1998;136:643-6

Caffeine ingestion: yet another wake-up call? (Graboyes and Bedell). 1998;136:574-5 (Editorial)

Calcification; see Calcinosi

Calcinosi

Quantification of intramural calcification in coronary intravascular ultrasound images with automated image analysis (Masseroli et al). 1998;136:78-86

Calcium channel blockers

Impaired exercise capacity late after cardiac transplantation: influence of chronotropic incompetence, hypertension, and calcium channel blockers (Quigg et al). 1998;136:465-73

Carbon dioxide

Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Cardiac Arrest Study Hamburg

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Cardiac filling pressure

The jugular veins: knowing enough to look (Economides and Stevenson). 1998;136:6-9 (Editorial)

Cardiac index

Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42

Cardiac markers; see Biological markers**Cardiac output**

Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42

Effects of exercise training on limb blood flow in patients with reduced ventricular function (Dziekan et al). 1998;136:22-30

Cardiac pacing, artificial

Comparison of oversensing during bradycardia pacing in two types of implantable cardioverter-defibrillator systems (Mann et al). 1998;136:658-63

Cardiac volume

The jugular veins: knowing enough to look (Economides and Stevenson). 1998;136:6-9 (Editorial)

Cardiography, impedance

Relation between impedance and electrode temperature during radiofrequency catheter ablation of accessory pathways and atrioventricular nodal reentrant tachycardia (Nsah et al). 1998;136:844-51

Cardiomyopathy, dilated

Evidence of left ventricular dysfunction in children with merosin-deficient congenital muscular dystrophy (Spyrou et al). 1998;136:474-6

Cardiomyopathy, hypertrophic

Contribution of magnetic resonance imaging in the differential diagnosis of cardiac amyloidosis and symmetric hypertrophic cardiomyopathy (Fattori et al). 1998;136:824-30

Coronary vasodilator reserve is impaired in patients with hypertrophic cardiomyopathy and left ventricular dysfunction (Lorenzoni et al). 1998;136:972-81

Effects of postural changes on left atrial function in patients with hypertrophic cardiomyopathy (Dernellis et al). 1998;136:982-7

Prognostic significance of late-peaking left ventricular velocity contour in patients with aortic stenosis undergoing valve replacement (Dolan et al). 1998;136:71-7

Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8

Cardiomyopathy, restrictive

Autonomic functions in restrictive cardiomyopathy and constrictive pericarditis: a comparison (Singh et al). 1998;136:443-8

Cardiovascular diseases

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

Cardiovascular disorders

A "touch of sugar" can be fatal (Clark and Perry). 1998;136:762-4 (Editorial)

Cardioversion; see Electric countershock**Cardioverter-defibrillators, implantable; see Defibrillators, implantable****Carotid arteries**

Carotid rupture and intraplaque hemorrhage: immunophenotype and role of cells involved (Milei et al). 1998;136:1096-105

Vascular and cardiac remodeling in world class professional cyclists (Abergel et al). 1998;136:818-23

Carotid artery diseases

When neoangiogenesis ricochets (Virmani et al). 1998;136:937-9 (Editorial)

Carotid sinus

Effects of long-term vasodilator therapy in patients with carotid sinus hypersensitivity (Brignole et al). 1998;136:264-8

Catheter ablation

Absence of significant changes in heart rate variability after slow pathway ablation of AV nodal reentrant tachycardia

by using serial Holter recordings (Pürerfellner et al). 1998;136:259-63

Biochemical markers and cardiac troponin I release after radiofrequency catheter ablation: approach to size of necrosis (Madrid et al). 1998;136:948-55

Predictors of outcome after radiofrequency catheter ablation of the atrioventricular node for atrial fibrillation and congestive heart failure (Twidale et al). 1998;136:647-57

Relation between impedance and electrode temperature during radiofrequency catheter ablation of accessory pathways and atrioventricular nodal reentrant tachycardia (Nsah et al). 1998;136:844-51

Catheters, balloon

The evolving costs of intracoronary stents (Vaitkus et al). 1998;136:132-5

Cell adhesion molecules

Acute myocardial infarction and increased soluble intercellular adhesion molecule-1: a marker of vascular inflammation and a risk of early restenosis? (Kamijikkoku et al). 1998;136:231-6

Central venous pressure

Physical examination of venous pressure: a critical review (McGee). 1998;136:10-8 (Curriculum cardi.)

Cerebrovascular disorders

Course of valvular strands in patients with stroke: cooperative study with transesophageal echocardiography (Nighoghossian et al). 1998;136:1065-9

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

Influence of risk factors on peripheral and cerebrovascular disease in men with coronary artery disease, low high-density lipoprotein cholesterol levels, and desirable low-density lipoprotein cholesterol levels (Papademetriou et al). 1998;136:734-40

Mitral regurgitation reduces the risk of stroke in patients with nonrheumatic atrial fibrillation (Nakagami et al). 1998;136:528-32

Utilities for major stroke: results from a survey of preferences among persons at increased risk for stroke (Samsa et al). 1998;136:703-13

Chest pain

Learning to suspect the unexpected: evaluating women with cardiac syndromes (Peterson and Alexander). 1998;136:186-8 (Editorial)

QT dispersion may be useful adjunct for detection of myocardial infarction in the chest pain center (Shah et al). 1998;136:496-8

Serial creatinine kinase (CK) MB testing during the emergency department evaluation of chest pain: utility of a 2-hour Δ CK-MB of +1.6 ng/ml (Fesmire et al). 1998;136:237-44

Child

β -Blocker therapy in young children with congestive heart failure under consideration for heart transplantation (Shaddy). 1998;136:19-21

Evidence of left ventricular dysfunction in children with merosin-deficient congenital muscular dystrophy (Spyrou et al). 1998;136:474-6

Safety and effectiveness data: Will children gain access? (Schreiner). 1998;136:4-5 (Editorial)

Serial echocardiographic assessment of left atrioventricular valve function in young children with ventricular inversion (Lynch et al). 1998;136:94-8

Cholesterol

Influence of risk factors on peripheral and cerebrovascular disease in men with coronary artery disease, low high-density lipoprotein cholesterol levels, and desirable low-density lipoprotein cholesterol levels (Papademetriou et al). 1998;136:734-40

Predictive value of remnant-like particles cholesterol/high-

Cholesterol—cont'd

density lipoprotein cholesterol ratio as a new indicator of coronary artery disease (Masuoka et al). 1998; 136:226-30

Clinical trials

Post hoc subgroup analysis and the truth of a clinical trial (Adams). 1998;136:753-8 (Editorial)

Coils; see Equipment and supplies

Collateral circulation

Determinants of regional myocardial function in patients with chronic significant coronary stenosis or occlusion (Mudlak et al). 1998;136:169-75

Computers

Can computerization of the exercise test replace the cardiologist? (Atwood et al). 1998;136:543-52

Implementation of a computerized cardiovascular information system in a private hospital setting (Taylor et al). 1998; 136:792-803

Congenital heart disease; see Heart defects, congenital

Conscious sedation

Electrical cardioversion of atrial fibrillation or flutter with conscious sedation in the age of cost containment (Goldner et al). 1998;136:961-4

Coronary angiography

An angiographic assessment of alteplase: double-bolus and front-loaded infusion regimens in myocardial infarction (Bleich et al). 1998;136:741-8

Angiographic characteristics of infarct-related and non-infarct-related stenoses in patients in whom stable angina progressed to acute myocardial infarction (Tousoulis et al). 1998;136:382-8

Coronary angiography before myocardial infarction: Can the culprit site be prospectively recognized? (Little and Applegate). 1998;136:368-70 (Editorial)

Differential plasma endothelin levels in subgroups of patients with angina and angiographically normal coronary arteries (Kaski et al). 1998;136:412-7

Impact on routine angiographic follow-up after angioplasty (Rupprecht et al). 1998;136:613-9

Coronary angioplasty; see Angioplasty, transluminal, percutaneous coronary

Coronary arteriosclerosis

Inflammatory profile in unstable angina versus stable angina in patients undergoing percutaneous interventions (Yazdani et al). 1998;136:357-61

Is low magnesium concentration a risk factor for coronary heart disease? the Atherosclerosis Risk in Communities (ARIC) Study (Liao et al). 1998;136:480-90

Lipoprotein(a) levels and heart transplantation atherosclerosis (Chang et al). 1998;136:329-34

Morphologic comparison of atherosclerotic lesions in native coronary arteries and saphenous vein grafts with intracoronary angiography in patients with unstable angina (Silva et al). 1998;136:156-63

Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:S19-31

When neoangiogenesis richocets (Virmani et al). 1998;136:937-9 (Editorial)

Coronary artery bypass

Effects of norepinephrine on the mechanical properties of the human radial artery in vitro (Girerd et al). 1998; 136:624-31

Emotional distress before coronary bypass grafting limits the benefits of surgery (Perski et al). 1998;136:510-7

Morphologic comparison of atherosclerotic lesions in native coronary arteries and saphenous vein grafts with intracoronary angiography in patients with unstable angina (Silva et al). 1998;136:156-63

Relative efficacy of medical therapy and revascularization for

improving exercise capacity in patients with chronic left ventricular dysfunction (Williams et al). 1998;136:57-62

Coronary artery disease; see Coronary disease

Coronary circulation

Coronary vasodilator reserve is impaired in patients with hypertrophic cardiomyopathy and left ventricular dysfunction (Lorenzoni et al). 1998;136:972-81

Current concepts of coronary flow reserve for clinical decision making during cardiac catheterization (Baumgart et al). 1998;136:136-49

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

Progressive deterioration of coronary flow reserve after heart transplantation (Mazur et al). 1998;136:504-9

Coronary disease

Is low magnesium concentration a risk factor for coronary heart disease? the Atherosclerosis Risk in Communities (ARIC) Study (Liao et al). 1998;136:480-90

Long-term prognosis of painless exercise-induced ischemia in stable patients with previous myocardial infarction (Casella et al). 1998;136:894-904

Sex differences in symptom presentation associated with acute myocardial infarction: a population-based perspective (Goldberg et al). 1998;136:189-95

Sex differences in ventricular function in patients with right bundle branch block (Allen et al). 1998;136:418-24

Coronary disease, complications

Depression and social support in elderly patients with cardiac disease (Krishnan et al). 1998;136:491-5

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

Coronary disease, diagnosis

Coronary angiography before myocardial infarction: Can the culprit site be prospectively recognized? (Little and Applegate). 1998;136:368-70 (Editorial)

Diagnostic value of 12-lead electrocardiogram during dobutamine echocardiographic studies (Shaheen et al). 1998; 136:1061-4

Effects of spontaneous respiration on transmitral Doppler flow patterns in normal subjects and patients with coronary artery disease (Tsai et al). 1998;136:99-102

Fasting and postprandial ischemic threshold in patients with unstable angina with and without postprandial angina at rest (Figueroa and Domingo). 1998;136:252-8

Predictive value of remnant-like particles cholesterol/high-density lipoprotein cholesterol ratio as a new indicator of coronary artery disease (Masuoka et al). 1998; 136:226-30

Coronary disease, mortality

Sudden coronary death in women (Kannel et al). 1998;136:205-12

Coronary disease, pathophysiology

Accuracy of heart rate-adjusted ST segments (Herpin et al) (Letter; (Morise) (Reply). 1998;136:180-2

Angiographic characteristics of infarct-related and non-infarct-related stenoses in patients in whom stable angina progressed to acute myocardial infarction (Tousoulis et al). 1998;136:382-8

Angiotensinogen gene polymorphism is associated with insulin resistance in nondiabetic men with or without coronary heart disease (Sheu et al). 1998;136:125-31

Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina (Bogaty et al). 1998;136:884-93

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:S7-18

Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease

Coronary disease, pathophysiology—cont'd

- from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24
- Effects of norepinephrine on the mechanical properties of the human radial artery in vitro (Girerd et al). 1998;136:624-31
- Glycoproteins IIB/IIIA inhibitors in acute coronary syndromes: pathophysiologic foundation and clinical findings (Kleiman et al). 1998;136:S32-42
- Influence of risk factors on peripheral and cerebrovascular disease in men with coronary artery disease, low high-density lipoprotein cholesterol levels, and desirable low-density lipoprotein cholesterol levels (Papademetriou et al). 1998;136:734-40
- Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:S19-31
- Pathophysiologic mechanisms underlying dobutamine- and exercise-induced wall motion abnormalities (Mairesse et al). 1998;136:63-70
- Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8
- Serum sialic acid concentration is not associated with the extent or severity of coronary artery disease in patients with stable angina pectoris (Salomone et al). 1998;136:620-3

Coronary flow reserve

- Coronary flow reserve may predict myocardial recovery after myocardial infarction in patients with TIMI grade 3 flow (Mazur et al). 1998;136:335-44

Coronary revascularization; see Myocardial revascularization**Coronary stents; see Stents****Coronary thrombosis; see Thrombosis****Coronary vessels**

- Complex stenosis morphology predicts late reocclusion during follow-up after myocardial infarction in patients with patent infarct-related coronary arteries (Chen et al). 1998;136:877-83
- Differential plasma endothelin levels in subgroups of patients with angina and angiographically normal coronary arteries (Kaski et al). 1998;136:412-7
- Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6
- Evidence of endothelial dysfunction of epicardial coronary arteries in patients with immunohistochemically proven myocarditis (Klein et al). 1998;136:389-97
- Late coronary artery stenting in patients with acute myocardial infarction (Hsieh et al). 1998;136:606-12
- Morphologic comparison of atherosclerotic lesions in native coronary arteries and saphenous vein grafts with intracoronary angiography in patients with unstable angina (Silva et al). 1998;136:156-63
- Quantification of intramural calcification in coronary intravascular ultrasound images with automated image analysis (Masseroli et al). 1998;136:78-86

Corrections

- Echocardiography can detect cloth cover tears in fully covered Starr-Edwards valves: a long-term clinical and echocardiographic study (Shapira et al) (1997;134:665-71). 1998;136:3
- ST-segment evaluation in right precordial leads implies depressed right ventricular function after acute inferior myocardial infarction (Yoshino et al.) (1998;135:689-95). 1998;136:5

Correspondence; see Letters**Cortisol; see Hydrocortisone****Cost-benefit analysis**

- Correlates of in-hospital cost among patients undergoing

abdominal aortic aneurysm repair (Benzaquen et al). 1998;136:696-702

- Utilities for major stroke: results from a survey of preferences among persons at increased risk for stroke (Samsa et al). 1998;136:703-13

Cost control

- Electrical cardioversion of atrial fibrillation or flutter with conscious sedation in the age of cost containment (Goldner et al). 1998;136:961-4

Costs and cost analysis

- The evolving costs of intracoronary stents (Vaitkus et al). 1998;136:132-5
- Squeezing the "value" from cost data (Kong and Peterson). 1998;136:1-3 (Editorial)

Creatine kinase

- Serial creatinine kinase (CK) MB testing during the emergency department evaluation of chest pain: utility of a 2-hour Δ CK-MB of +1.6 ng/ml (Fesmire et al). 1998;136:237-44

Curriculum in cardiology

- Curriculum in cardiology. 1998;136:10-8

Cyclists; see Sports**Cytokines**

- Cytokine generation capacities of monocytes are reduced in patients with severe heart failure (Shimokawa et al). 1998;136:991-1002

D**D-dimer**

- Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Data systems; see Information systems**Databases; see Information systems****Death, sudden, cardiac**

- Sudden coronary death in women (Kannel et al). 1998;136:205-12

Decision making

- Current concepts of coronary flow reserve for clinical decision making during cardiac catheterization (Baumgart et al). 1998;136:136-49

Defibrillators, implantable

- Comparison of oversensing during bradycardia pacing in two types of implantable cardioverter-defibrillator systems (Mann et al). 1998;136:658-63

Depression

- Depression and social support in elderly patients with cardiac disease (Krishnan et al). 1998;136:491-5

Dexfenfluramine

- Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Diabetes mellitus

- Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

- Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study (Lau et al). 1998;136:150-5

- A "touch of sugar" can be fatal (Clark and Perry). 1998;136:762-4 (Editorial)

Diagnostic imaging

- Comparison between 2-dimensional echocardiography and myocardial perfusion imaging in the emergency department in patients with possible myocardial ischemia (Kontos et al). 1998;136:724-33

- Patients with stable chronic obstructive pulmonary disease can safely undergo intravenous dipyridamole thallium-201 imaging (Shaffer et al). 1998;136:307-13

Diastole

- Diastolic effects of chronic digitalization in systolic heart failure (Hassapoyannes et al). 1998;136:688-95
- Effects of spontaneous respiration on transmitral Doppler flow patterns in normal subjects and patients with coronary artery disease (Tsai et al). 1998;136:99-102
- Impact of intravenous nitroglycerin on pulsed Doppler indexes of left ventricular filling in acute anterior myocardial infarction (Garadah et al). 1998;136:812-7

Digitalis

- Diastolic effects of chronic digitalization in systolic heart failure (Hassapoyannes et al). 1998;136:688-95
- Neurohumoral effects of digitalis (Piovan et al) (Letter); (Georgiade and Pitt) (Reply). 1998;136:928-9

Dipyridamole

- Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42
- Patients with stable chronic obstructive pulmonary disease can safely undergo intravenous dipyridamole thallium-201 imaging (Shaffer et al). 1998;136:307-13

Discharge; see Patient discharge

Dissection

- Clinical and echocardiographic findings in patients with suspected acute aortic dissection (Armstrong et al). 1998;136:1051-60

Dobutamine

- Diagnostic value of 12-lead electrocardiogram during dobutamine echocardiographic studies (Shaheen et al). 1998;136:1061-4
- Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: feasibility, safety, and surgical correlations (Lin et al). 1998;136:1010-6
- Dobutamine stress echocardiography in the prediction of acute or chronic myocardial infarction (Cherng et al). 1998;136:1021-9
- Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6
- Pathophysiologic mechanisms underlying dobutamine- and exercise-induced wall motion abnormalities (Mairesse et al). 1998;136:63-70

Doppler echocardiography; see Echocardiography, Doppler

Drug therapy

- Elevated B-type natriuretic peptide levels after anthracycline administration (Suzuki et al). 1998;136:362-3
- Safety and effectiveness data: Will children gain access? (Schreiner). 1998;136:4-5 (Editorial)

Drug toxicity

- Elevated B-type natriuretic peptide levels after anthracycline administration (Suzuki et al). 1998;136:362-3

Ductus arteriosus, patent

- Validation of color Doppler measurements of minimum patent ductus arteriosus diameters: significance for coil embolization (Wong et al). 1998;136:714-7

Dystrophin

- Evidence of left ventricular dysfunction in children with merosin-deficient congenital muscular dystrophy (Spyrou et al). 1998;136:474-6

E

Echocardiography

- Comparison between 2-dimensional echocardiography and myocardial perfusion imaging in the emergency department in patients with possible myocardial ischemia (Kontos et al). 1998;136:724-33
- Diagnostic value of 12-lead electrocardiogram during dobutamine echocardiographic studies (Shaheen et al). 1998;136:1061-4

- Dobutamine stress echocardiography in the prediction of acute or chronic myocardial infarction (Cherng et al). 1998;136:1021-9

- Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6

- Exercise capacity in patients with β -thalassemia major: relation to left ventricular and atrial size and function (Trikas et al). 1998;136:988-90

- Pathophysiologic mechanisms underlying dobutamine- and exercise-induced wall motion abnormalities (Mairesse et al). 1998;136:63-70

- Prospective echocardiographic analysis of progressive obstruction of the proximal pulmonary artery in congenital heart disease and obstructed pulmonary flow (Hiraishi et al). 1998;136:837-43

- Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8

- Serial echocardiographic assessment of left atrioventricular valve function in young children with ventricular inversion (Lynch et al). 1998;136:94-8

Echocardiography, Doppler

- Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: feasibility, safety, and surgical correlations (Lin et al). 1998;136:1010-6

- Doppler pressure half-time method of assessing mitral valve area: aortic insufficiency does not adversely affect validity (Robiolio et al). 1998;136:718-23

- Effects of postural changes on left atrial function in patients with hypertrophic cardiomyopathy (Demellis et al). 1998;136:982-7

- Effects of spontaneous respiration on transmitral Doppler flow patterns in normal subjects and patients with coronary artery disease (Tsai et al). 1998;136:99-102

- Impact of intravenous nitroglycerin on pulsed Doppler indexes of left ventricular filling in acute anterior myocardial infarction (Garadah et al). 1998;136:812-7

- An integrated approach to the quantification of aortic regurgitation by Doppler echocardiography (Zarauza et al). 1998;136:1030-41

- Prognostic significance of late-peaking left ventricular velocity contour in patients with aortic stenosis undergoing valve replacement (Dolan et al). 1998;136:71-7

- Validation of color Doppler measurements of minimum patent ductus arteriosus diameters: significance for coil embolization (Wong et al). 1998;136:714-7

- Valvular aortic stenosis: Which measure of severity is best? (Otto). 1998;136:940-2 (Editorial)

Echocardiography, transesophageal

- Clinical and echocardiographic findings in patients with suspected acute aortic dissection (Armstrong et al). 1998;136:1051-60

- Course of valvular strands in patients with stroke: cooperative study with transesophageal echocardiography (Nighoghossian et al). 1998;136:1065-9

- Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74

- Three-dimensional surface area of the aortic valve orifice by three-dimensional echocardiography: clinical validation of a novel index for assessment of aortic stenosis (Ge et al). 1998;136:961-4

Editorials

- Editorials. 1998;136:1-9, 183-5, 365-72, 565-77, 751-64, 931-3-945-7

Effectiveness; see Treatment outcome

Ejection fraction; see Stroke volume

Elder abuse

- Is optimal angiotensin-converting enzyme inhibitor dosing

Elder abuse—cont'd

neglected in elderly patients with heart failure? (Gattis et al). 1998;136:43-8

Elderly; see Aged**Electric countershock**

Cardiac performance early after cardioversion from atrial fibrillation (Raymond et al). 1998;136:435-42

Electrical cardioversion of atrial fibrillation or flutter with conscious sedation in the age of cost containment (Goldner et al). 1998;136:961-4

Electric impedance

Relation between impedance and electrode temperature during radiofrequency catheter ablation of accessory pathways and atrioventricular nodal reentrant tachycardia (Nsah et al). 1998;136:844-51

Electric stimulation

Evaluating treatment for intractable angina pectoris: a challenging clinical and scientific problem (Maynard and Every). 1998;136:943-4 (Editorial)

Spinal cord stimulation in chronic intractable angina pectoris: a randomized, controlled efficacy study (Hautvast et al). 1998;136:1114-20

Electrocardiography

Abnormalities of the QT interval in primary disorders of autonomic failure (Choy et al). 1998;136:664-71

Accuracy of heart rate-adjusted ST segments (Herpin et al) (Letter); (Morise) (Reply). 1998;136:180-2

Acute effects of caffeine ingestion on signal-averaged electrocardiograms (Donnerstein et al). 1998;136:643-6

Can computerization of the exercise test replace the cardiologist? (Atwood et al). 1998;136:543-52

Diagnostic value of 12-lead electrocardiogram during dobutamine echocardiographic studies (Shaheen et al). 1998;136:1061-4

Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8

Reply (Abe). 1998;136:364 (Letter)

Specificity of electrocardiographic myocardial infarction screening criteria in patients with nonischemic cardiomyopathies (Shah et al). 1998;136:314-9

Electrocardiography, ambulatory

Absence of significant changes in heart rate variability after slow pathway ablation of AV nodal reentrant tachycardia by using serial Holter recordings (Püerfellner et al). 1998;136:259-63

Electrodes

Relation between impedance and electrode temperature during radiofrequency catheter ablation of accessory pathways and atrioventricular nodal reentrant tachycardia (Nsah et al). 1998;136:844-51

Electrophysiology

Absence of significant changes in heart rate variability after slow pathway ablation of AV nodal reentrant tachycardia by using serial Holter recordings (Püerfellner et al). 1998;136:259-63

Can computerization of the exercise test replace the cardiologist? (Atwood et al). 1998;136:543-52

Cardiac performance early after cardioversion from atrial fibrillation (Raymond et al). 1998;136:435-42

Conversion efficacy and safety of repeated doses of ibutilide in patients with atrial flutter and atrial fibrillation (Abi-Mansour et al). 1998;136:632-42

Correlation between exercise-induced ischemic ST-segment depression and myocardial blood flow quantified by positron emission tomography (Watanabe et al). 1998;136:533-42

Dynamic QT dispersion during exercise (Kligfield and Okin) (Letter); (Singh and Roukema) (Reply). 1998;136:750

Electrical cardioversion of atrial fibrillation or flutter with conscious sedation in the age of cost containment (Goldner et al). 1998;136:961-4

Heart rate changes preceding ventricular ectopy in patients with ventricular tachycardia caused by reentry, triggered activity, and automaticity (Stein et al). 1998;136:425-34

Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56

QT dispersion may be useful adjunct for detection of myocardial infarction in the chest pain center (Shah et al). 1998;136:496-8

Relation between impedance and electrode temperature during radiofrequency catheter ablation of accessory pathways and atrioventricular nodal reentrant tachycardia (Nsah et al). 1998;136:844-51

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Embolism

Restoration of atrial mechanical function after maze operation in patients with structural heart disease (Kim et al). 1998;136:1070-4

Embolization, therapeutic

Validation of color Doppler measurements of minimum patent ductus arteriosus diameters: significance for coil embolization (Wong et al). 1998;136:714-7

Emergency medical services

Comparison between 2-dimensional echocardiography and myocardial perfusion imaging in the emergency department in patients with possible myocardial ischemia (Kontos et al). 1998;136:724-33

Serial creatinine kinase (CK) MB testing during the emergency department evaluation of chest pain: utility of a 2-hour Δ CK-MB of +1.6 ng/ml (Fesmire et al). 1998;136:237-44

Emotional stress; see Stress, psychological**Enalapril**

Differential effects of fosinopril and enalapril in patients with mild to moderate chronic heart failure (Zannad et al). 1998;136:672-80

Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope (Zeng et al). 1998;136:852-8

Endarterectomy, carotid

Carotid rupture and intraplate hemorrhage: immunophenotype and role of cells involved (Milei et al). 1998;136:1096-105

Endocarditis

Are high-velocity tricuspid and pulmonary regurgitation endocarditis risk substrates? (Dod et al). 1998;136:109-14

Endogenous opiate system; see Endorphins**Endorphins**

Role of the central endogenous opiate system in patients with syndrome X (Fedele et al). 1998;136:1003-9

Endothelins

Differential plasma endothelin levels in subgroups of patients with angina and angiographically normal coronary arteries (Kaski et al). 1998;136:412-7

Endothelium, vascular

Evidence of endothelial dysfunction of epicardial coronary arteries in patients with immunohistochemically proven myocarditis (Klein et al). 1998;136:389-97

Exercise capacity in heart transplant recipients: relation to impaired endothelium-dependent vasodilation of the peripheral microcirculation (Andreassen et al). 1998;136:320-8

Short-term estrogen administration improves abnormal endothelial function in women with systemic sclerosis and Raynaud's phenomenon (Lekakis et al). 1998;136:905-12

Equipment and supplies

Validation of color Doppler measurements of minimum patent ductus arteriosus diameters: significance for coil embolization (Wong et al). 1998;136:714-7

Equipment safety

Safety and effectiveness data: Will children gain access? (Schreiner). 1998;136:4-5 (Editorial)

Estrogen replacement therapy

Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24

Estrogens

Short-term estrogen administration improves abnormal endothelial function in women with systemic sclerosis and Raynaud's phenomenon (Lekakis et al). 1998;136:905-12

Evoked potentials

Mismatch between myocardial accumulation of ^{123}I -MIBG and $^{99\text{m}}\text{Tc}$ -MIBI and late ventricular potentials in patients after myocardial infarction: association with the development of ventricular arrhythmias (Yukinaka et al). 1998;136:859-67

Exercise

Effects of exercise training on limb blood flow in patients with reduced ventricular function (Dziekan et al). 1998;136:22-30
Vascular and cardiac remodeling in world class professional cyclists (Abergel et al). 1998;136:818-23

Exercise test

Can computerization of the exercise test replace the cardiologist? (Atwood et al). 1998;136:543-52
Correlation between exercise-induced ischemic ST-segment depression and myocardial blood flow quantified by positron emission tomography (Watanabe et al). 1998;136:533-42
Diagnostic value of 12-lead electrocardiogram during dobutamine echocardiographic studies (Shaheen et al). 1998;136:1061-4
Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: feasibility, safety, and surgical correlations (Lin et al). 1998;136:1010-6
Dobutamine stress echocardiography in the prediction of acute or chronic myocardial infarction (Cherng et al). 1998;136:1021-9
Does the 6-minute walk test predict the prognosis in patients with NYHA class II or III chronic heart failure? (Roul et al). 1998;136:449-57
Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6
Exaggerated blood pressure response at exercise in normotensive subjects: demographic and stress performance characteristics (Ilija et al). 1998;136:499-503
Impaired exercise capacity late after cardiac transplantation: influence of chronotropic incompetence, hypertension, and calcium channel blockers (Quigg et al). 1998;136:465-73
Importance of intrinsic calf vasodilator capacity in determining distribution of skeletal muscle perfusion during supine bicycle exercise in patients with left ventricular dysfunction (Hattori et al). 1998;136:458-64
Is 6-minute walk test of value in congestive heart failure? (Schaufelberger and Swedberg). 1998;136:371-2 (Editorial)
Long-term prognosis of painless exercise-induced ischemia in stable patients with previous myocardial infarction (Casella et al). 1998;136:894-904
Noninvasive risk stratification after myocardial infarction: Which test is best? (Lauer). 1998;136:565-9 (Editorial)
Pathophysiologic mechanisms underlying dobutamine- and exercise-induced wall motion abnormalities (Mairesse et al). 1998;136:63-70
Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic left ventricular dysfunction (Williams et al). 1998;136:57-62
Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Should only the squeaky wheel get the grease? the prognostic significance of silent ischemia detected by exercise treadmill testing (Fearon et al). 1998;136:759-61 (Editorial)

Exercise tolerance

Exercise capacity in heart transplant recipients: relation to impaired endothelium-dependent vasodilation of the peripheral microcirculation (Andreassen et al). 1998;136:320-8
Exercise capacity in patients with β -thalassemia major: relation to left ventricular and atrial size and function (Trikas et al). 1998;136:988-90
Impaired exercise capacity late after cardiac transplantation: influence of chronotropic incompetence, hypertension, and calcium channel blockers (Quigg et al). 1998;136:465-73
Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85
Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic left ventricular dysfunction (Williams et al). 1998;136:57-62

Extremities

Effects of exercise training on limb blood flow in patients with reduced ventricular function (Dziekan et al). 1998;136:22-30

F

FDA; see United States Food and Drug Administration

Fibrinolysis

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Fibrinolytic agents

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60
Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:57-18
The future of antithrombotic and antiplatelet therapy for ischemic heart disease (Topol). 1998;136:S66-8
Pretreatment plasminogen activator inhibitor-1 (PAI-1) levels and the outcome of thrombolysis with streptokinase in patients with acute myocardial infarction (Sinković). 1998;136:406-11

Fibrinopeptides A

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:57-18

Financial management

Squeezing the "value" from cost data (Kong and Peterson). 1998;136:1-3 (Editorial)

Fibrinopeptides A

Effect of intravenous heparin on thrombin-antithrombin complex and fibrinopeptide A in unstable angina (Mombelli et al). 1998;136:1106-13

Follow-up studies

Long-term follow-up of patients with severe rheumatic tricuspid stenosis (Roguin et al). 1998;136:103-8
Nine-year follow-up study of heart rate variability in patients with Duchenne-type progressive muscular dystrophy (Yotsukura et al). 1998;136:289-96

Fosinopril

Differential effects of fosinopril and enalapril in patients with mild to moderate chronic heart failure (Zannad et al). 1998;136:672-80
Short- and long-term effects of early fosinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the Fosinopril in Acute Myocardial Infarction Study (Borghi et al). 1998;136:213-25

Fosinopril in Acute Myocardial Infarction Study

Short- and long-term effects of early fosinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the

Fosinopril in Acute Myocardial Infarction Study—cont'd

Fosinopril in Acute Myocardial Infarction Study (Borghi et al). 1998;136:213-25

Framingham Study

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

G**Genes**

Angiotensinogen gene polymorphism is associated with insulin resistance in nondiabetic men with or without coronary heart disease (Sheu et al). 1998;136:125-31

Genetics

Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina (Bogaty et al). 1998;136:884-93

Glucose intolerance

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

A "touch of sugar" can be fatal (Clark and Perry). 1998;136:762-4 (Editorial)

Glycoprotein IIb/IIIa complex; see Platelet membrane glycoproteins**Glycosides**

Neurohumoral effects of digitalis (Piovan et al) (Letter); (Gheorghiadu and Pitt) (Reply). 1998;136:928-9

Graft occlusion, vascular

Lipoprotein(a) levels and heart transplantation atherosclerosis (Chang et al). 1998;136:329-34

H**Health policy**

Correlates of in-hospital cost among patients undergoing abdominal aortic aneurysm repair (Benzaquen et al). 1998;136:696-702

Managed care for congestive heart failure: influence of payer status on process of care, resource utilization, and short-term outcomes (Philbin and DiSalvo). 1998;136:553-61

Patient risk or physician practice: What factors drive resource use in unstable angina? (Eisenstein). 1998;136:365-7 (Editorial)

Utilities for major stroke: results from a survey of preferences among persons at increased risk for stroke (Samsa et al). 1998;136:703-13

Health resources

Clinical predictors easily obtained at presentation predict resource utilization in unstable angina (Calvin et al). 1998;136:373-81

Managed care for congestive heart failure: influence of payer status on process of care, resource utilization, and short-term outcomes (Philbin and DiSalvo). 1998;136:553-61

Patient risk or physician practice: What factors drive resource use in unstable angina? (Eisenstein). 1998;136:365-7 (Editorial)

Heart and Estrogen/Progestin Replacement Study

Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24

Heart block

Sex differences in ventricular function in patients with right bundle branch block (Allen et al). 1998;136:418-24

Heart catheterization

Current concepts of coronary flow reserve for clinical decision

making during cardiac catheterization (Baumgart et al). 1998;136:136-49

Progression of renal artery stenosis in patients undergoing cardiac catheterization (Crowley et al). 1998;136:913-8

Heart defects, congenital

Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity (Li et al). 1998;136:1075-80

Evidence of left ventricular dysfunction in children with merosin-deficient congenital muscular dystrophy (Spyrou et al). 1998;136:474-6

How does warfarin affect the activated coagulation time? (Chang et al). 1998;136:477-9

Prospective echocardiographic analysis of progressive obstruction of the proximal pulmonary artery in congenital heart disease and obstructed pulmonary flow (Hiraishi et al). 1998;136:837-43

Pulmonary valve annulus grows after balloon dilatation of neonatal critical pulmonary valve stenosis (Gildein et al). 1998;136:276-80

Serial echocardiographic assessment of left atrioventricular valve function in young children with ventricular inversion (Lynch et al). 1998;136:94-8

Heart disease, ischemic; see Myocardial ischemia**Heart failure**

The jugular veins: knowing enough to look (Economides and Stevenson). 1998;136:6-9 (Editorial)

Heart failure, congestive

Diastolic effects of chronic digitalization in systolic heart failure (Hassapoyannes et al). 1998;136:688-95

Differential effects of furosemide and enalapril in patients with mild to moderate chronic heart failure (Zannad et al). 1998;136:672-80

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

Heart failure after aortic valve replacement for aortic regurgitation: prospective 20-year study (Tomos et al). 1998;136:681-7

Managed care for congestive heart failure: influence of payer status on process of care, resource utilization, and short-term outcomes (Philbin and DiSalvo). 1998;136:553-61

Heart failure, congestive, diagnosis

Does the 6-minute walk test predict the prognosis in patients with NYHA class II or III chronic heart failure? (Roul et al). 1998;136:449-57

Impaired exercise capacity late after cardiac transplantation: influence of chronotropic incompetence, hypertension, and calcium channel blockers (Quigg et al). 1998;136:465-73

Is 6-minute walk test of value in congestive heart failure? (Schaufelberger and Swedberg). 1998;136:371-2 (Editorial)

Heart failure, congestive, drug therapy

β -Blocker therapy in young children with congestive heart failure under consideration for heart transplantation (Shaddy). 1998;136:19-21

Effect of partial arrhythmia suppression with amiodarone on heart rate variability of patients with congestive heart failure (Rohde et al). 1998;136:31-6

Effect of vesnarinone on cardiac function in patients with severe congestive heart failure (Scherrer-Crosbie et al). 1998;136:769-77

Is optimal angiotensin-converting enzyme inhibitor dosing neglected in elderly patients with heart failure? (Gattis et al). 1998;136:43-8

Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Heart failure, congestive, physiopathology

Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42

Heart failure, congestive, physiopathology—cont'd

- Autonomic functions in restrictive cardiomyopathy and constrictive pericarditis: a comparison (Singh et al). 1998;136:443-8
- Cytokine generation capacities of monocytes are reduced in patients with severe heart failure (Shimokawa et al). 1998;136:991-1002
- Effects of exercise training on limb blood flow in patients with reduced ventricular function (Dziekan et al). 1998;136:22-30
- Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85
- Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8
- Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Heart failure, congestive, therapy

- Predictors of outcome after radiofrequency catheter ablation of the atrioventricular node for atrial fibrillation and congestive heart failure (Twidale et al). 1998;136:647-57

Heart rate

- Absence of significant changes in heart rate variability after slow pathway ablation of AV nodal reentrant tachycardia by using serial Holter recordings (Pürerfellner et al). 1998;136:259-63
- Accuracy of heart rate-adjusted ST segments (Herpin et al) (Letter); (Morise) (Reply). 1998;136:180-2
- Effect of partial arrhythmia suppression with amiodarone on heart rate variability of patients with congestive heart failure (Rohde et al). 1998;136:31-6
- Fasting and postprandial ischemic threshold in patients with unstable angina with and without postprandial angina at rest (Figueras and Domingo). 1998;136:252-8
- Heart rate changes preceding ventricular ectopy in patients with ventricular tachycardia caused by reentry, triggered activity, and automaticity (Stein et al). 1998;136:425-34
- Impaired exercise capacity late after cardiac transplantation: influence of chronotropic incompetence, hypertension, and calcium channel blockers (Quigg et al). 1998;136:465-73
- Nine-year follow-up study of heart rate variability in patients with Duchenne-type progressive muscular dystrophy (Yotsukura et al). 1998;136:289-96
- Restoration of atrial mechanical function after maze operation in patients with structural heart disease (Kim et al). 1998;136:1070-4
- Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Heart septal defects, atrial

- Secretion patterns of brain natriuretic peptide and atrial natriuretic peptide in patients with or without pulmonary hypertension complicating atrial septal defect (Nagaya et al). 1998;136:297-301

Heart transplantation

- β -Blocker therapy in young children with congestive heart failure under consideration for heart transplantation (Shaddy). 1998;136:19-21
- Exercise capacity in heart transplant recipients: relation to impaired endothelium-dependent vasodilation of the peripheral microcirculation (Andreassen et al). 1998;136:320-8
- Impaired exercise capacity late after cardiac transplantation: influence of chronotropic incompetence, hypertension, and calcium channel blockers (Quigg et al). 1998;136:465-73
- Progressive deterioration of coronary flow reserve after heart transplantation (Mazur et al). 1998;136:504-9

Heart valve diseases

- Course of valvular strands in patients with stroke: cooperative study with transesophageal echocardiography (Nighoghossian et al). 1998;136:1065-9
- Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: feasibility, safety, and surgical correlations (Lin et al). 1998;136:1010-6
- Long-term follow-up of patients with severe rheumatic tricuspid stenosis (Roguin et al). 1998;136:103-8
- Pulmonary valve annulus grows after balloon dilatation of neonatal critical pulmonary valve stenosis (Gildein et al). 1998;136:276-80
- Valvular aortic stenosis: Which measure of severity is best? (Otto). 1998;136:940-2 (Editorial)

Heart valve prosthesis

- Heart failure after aortic valve replacement for aortic regurgitation: prospective 20-year study (Tornos et al). 1998;136:681-7

Heart valves

- Evidence of left ventricular dysfunction in children with merosin-deficient congenital muscular dystrophy (Spyrou et al). 1998;136:474-6
- How does warfarin affect the activated coagulation time? (Chang et al). 1998;136:477-9

Hemodialysis

- Reply (Abe). 1998;136:364 (Letter)

Hemodynamics

- Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42
- Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: feasibility, safety, and surgical correlations (Lin et al). 1998;136:1010-6
- Late fenestration closure in the hypoplastic left heart syndrome: comparison of hemodynamic changes (Lloyd et al). 1998;136:302-6
- Myocardial infarction, ventricular remodeling and angiotensin-converting enzyme inhibition: where we stand today (Solomon and Pfeffer). 1998;136:931-3 (Editorial)
- Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56
- Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope (Zeng et al). 1998;136:852-8

Hemorrhage

- Carotid rupture and intraplaque hemorrhage: immunophenotype and role of cells involved (Milei et al). 1998;136:1096-105

Hemostasis

- Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina (Bogaty et al). 1998;136:884-93
- Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:519-31

Heparin

- Effect of intravenous heparin on thrombin-antithrombin complex and fibrinopeptide A in unstable angina (Mombelli et al). 1998;136:1106-13
- How does warfarin affect the activated coagulation time? (Chang et al). 1998;136:477-9
- Post-procedure heparin: boon or burden? (Kong and Califf). 1998;136:183-5 (Editorial)
- Prolonged heparin after uncomplicated coronary interventions: a prospective, randomized trial (Garachemani et al). 1998;136:352-6
- Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Hospital costs

- Correlates of in-hospital cost among patients undergoing

Hospital costs—cont'd

abdominal aortic aneurysm repair (Benzaquen et al). 1998;136:696-702

Hospitalization

Managed care for congestive heart failure: influence of payer status on process of care, resource utilization, and short-term outcomes (Philbin and DiSalvo). 1998;136:553-61

Hospitals, private

Implementation of a computerized cardiovascular information system in a private hospital setting (Taylor et al). 1998;136:792-803

Hydrocortisone

Cytokine generation capacities of monocytes are reduced in patients with severe heart failure (Shimokawa et al). 1998;136:991-1002

Hypersensitivity

Effects of long-term vasodilator therapy in patients with carotid sinus hypersensitivity (Brignole et al). 1998;136:264-8

Hypertension

Exaggerated blood pressure response at exercise in normotensive subjects: demographic and stress performance characteristics (Ilija et al). 1998;136:499-503

Impaired exercise capacity late after cardiac transplantation: influence of chronotropic incompetence, hypertension, and calcium channel blockers (Quigg et al). 1998;136:465-73

Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8

Hypertension, pulmonary

Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42

Are high-velocity tricuspid and pulmonary regurgitation endocarditis risk substrates? (Dod et al). 1998;136:109-14

Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Secretion patterns of brain natriuretic peptide and atrial natriuretic peptide in patients with or without pulmonary hypertension complicating atrial septal defect (Nagaya et al). 1998;136:297-301

Hypertrophy, left ventricular

Prognostic significance of late-peaking left ventricular velocity contour in patients with aortic stenosis undergoing valve replacement (Dolan et al). 1998;136:71-7

Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8

Vascular and cardiac remodeling in world class professional cyclists (Abergel et al). 1998;136:818-23

Hypoplastic left heart syndrome

Late fenestration closure in the hypoplastic left heart syndrome: comparison of hemodynamic changes (Lloyd et al). 1998;136:302-6

Hypotension

Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope (Zeng et al). 1998;136:852-8

Ibutilide

Conversion efficacy and safety of repeated doses of ibutilide in patients with atrial flutter and atrial fibrillation (Abi-Mansour et al). 1998;136:632-42

Iliac artery

Kissing stents in the aortic bifurcation (Mendelsohn et al). 1998;136:600-5

Image processing, computer-assisted

Quantification of intramural calcification in coronary intravascular ultrasound images with automated image analysis (Masseroli et al). 1998;136:78-86

Immunohistochemistry

Carotid rupture and intraplaque hemorrhage: immunophenotype and role of cells involved (Milei et al). 1998;136:1096-105

Evidence of endothelial dysfunction of epicardial coronary arteries in patients with immunohistochemically proven myocarditis (Klein et al). 1998;136:389-97

Infective endocarditis; see Endocarditis**Inflammation**

Acute myocardial infarction and increased soluble intercellular adhesion molecule-1: a marker of vascular inflammation and a risk of early restenosis? (Kamijikkoku et al). 1998;136:231-6

Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina (Bogaty et al). 1998;136:884-93

Cytokine generation capacities of monocytes are reduced in patients with severe heart failure (Shimokawa et al). 1998;136:991-1002

Inflammatory profile in unstable angina versus stable angina in patients undergoing percutaneous interventions (Yazdani et al). 1998;136:357-61

Information systems

Clinical cardiovascular databases: ready for prime time? (Weintraub). 1998;136:751-2 (Editorial)

Implementation of a computerized cardiovascular information system in a private hospital setting (Taylor et al). 1998;136:792-803

Squeezing the "value" from cost data (Kong and Peterson). 1998;136:1-3 (Editorial)

Infusions, intravenous

An angiographic assessment of alteplase: double-bolus and front-loaded infusion regimens in myocardial infarction (Bleich et al). 1998;136:741-8

Effect of intravenous heparin on thrombin-antithrombin complex and fibrinopeptide A in unstable angina (Mombelli et al). 1998;136:1106-13

Impact of intravenous nitroglycerin on pulsed Doppler indexes of left ventricular filling in acute anterior myocardial infarction (Garadah et al). 1998;136:812-7

Intravenous adenosine and lidocaine in patients with acute myocardial infarction (Garratt et al). 1998;136:196-204

Patients with stable chronic obstructive pulmonary disease can safely undergo intravenous dipyridamole thallium-201 imaging (Shaffer et al). 1998;136:307-13

Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56

Short- and long-term effects of early fasinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the Fasinopril in Acute Myocardial Infarction Study (Borghi et al). 1998;136:213-25

Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Insulin resistance

Angiotensinogen gene polymorphism is associated with insulin resistance in nondiabetic men with or without coronary heart disease (Sheu et al). 1998;136:125-31

Interleukins

Inflammatory profile in unstable angina versus stable angina in

Interleukins—cont'd

patients undergoing percutaneous interventions (Yazdani et al). 1998;136:357-61

Intravascular ultrasound; see Ultrasonography, interventional

Intravenous infusion; see Infusions, intravenous

Ischemic heart disease; see Myocardial ischemia

J

Jugular veins

The jugular veins: knowing enough to look (Economides and Stevenson). 1998;136:6-9 (Editorial)

Physical examination of venous pressure: a critical review (McGee). 1998;136:10-8 (Curriculum cardiol.)

L

Late ventricular potentials; see Evoked potentials

Leg

Importance of intrinsic calf vasodilator capacity in determining distribution of skeletal muscle perfusion during supine bicycle exercise in patients with left ventricular dysfunction (Hattori et al). 1998;136:458-64

Length of stay

Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity (Li et al). 1998;136:1075-80

Letters

Accuracy of heart rate-adjusted ST segments (Herpin et al) (Letter); (Morise) (Reply). 1998;136:180-2

Angiotensin-converting enzyme gene polymorphisms (Sanderson) (Letter); (Malik and Lavie) (Reply). 1998;136:562-3

C-reactive protein in postinfarction heart rupture (Beranek). 1998;136:563-4

Dynamic QT dispersion during exercise (Kligfield and Okin) (Letter); (Singh and Roukema) (Reply). 1998;136:750

HOT MI Pilot Study (Laden) (Letter); (Ellestad) (Reply). 1998;136:749

Neurohumoral effects of digitalis (Piovan et al) (Letter); (Gheorghade and Pitt) (Reply). 1998;136:928-9

Reply (Abe). 1998;136:364

LH

Role of the central endogenous opiate system in patients with syndrome X (Fedele et al). 1998;136:1003-9

Lidocaine

Intravenous adenosine and lidocaine in patients with acute myocardial infarction (Garraff et al). 1998;136:196-204

Limbs; see Extremities

Lipoprotein(a)

Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74

Lipoprotein(a) levels and heart transplantation atherosclerosis (Chang et al). 1998;136:329-34

Lipoproteins, LDL cholesterol

Influence of risk factors on peripheral and cerebrovascular disease in men with coronary artery disease, low high-density lipoprotein cholesterol levels, and desirable low-density lipoprotein cholesterol levels (Papademetriou et al). 1998;136:734-40

Lipoproteins, HDL

Predictive value of remnant-like particles cholesterol/high-density lipoprotein cholesterol ratio as a new indicator of coronary artery disease (Masuoka et al). 1998;136:226-30

Lung diseases, obstructive

Patients with stable chronic obstructive pulmonary disease can safely undergo intravenous dipyridamole thallium-201 imaging (Shaffer et al). 1998;136:307-13

Luteinizing hormone; see LH

M

Magnetic resonance imaging

Contribution of magnetic resonance imaging in the differential diagnosis of cardiac amyloidosis and symmetric hypertrophic cardiomyopathy (Fattori et al). 1998;136:824-30

Managed care programs

Managed care for congestive heart failure: influence of payer status on process of care, resource utilization, and short-term outcomes (Philbin and DiSalvo). 1998;136:553-61

Maze operation

Atrial transport function after the Maze procedure for atrial fibrillation: a 10-year clinical experience (Cox). 1998;136:934-6 (Editorial)

Restoration of atrial mechanical function after maze operation in patients with structural heart disease (Kim et al). 1998;136:1070-4

Men

Angiotensinogen gene polymorphism is associated with insulin resistance in nondiabetic men with or without coronary heart disease (Sheu et al). 1998;136:125-31

Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Metabolic test; see Exercise test

Microcirculation

Exercise capacity in heart transplant recipients: relation to impaired endothelium-dependent vasodilation of the peripheral microcirculation (Andreassen et al). 1998;136:320-8

Mitral regurgitation; see Mitral valve insufficiency

Mitral valve

Doppler pressure half-time method of assessing mitral valve area: aortic insufficiency does not adversely affect validity (Robiolio et al). 1998;136:718-23

Effects of spontaneous respiration on transmitral Doppler flow patterns in normal subjects and patients with coronary artery disease (Tsai et al). 1998;136:99-102

Long-term follow-up of patients with severe rheumatic tricuspid stenosis (Roguin et al). 1998;136:103-8

Mitral valve insufficiency

Mitral regurgitation reduces the risk of stroke in patients with nonrheumatic atrial fibrillation (Nakagami et al). 1998;136:528-32

Models, theoretical

Clinical predictors easily obtained at presentation predict resource utilization in unstable angina (Calvin et al). 1998;136:373-81

Monitoring, physiologic

Absence of significant changes in heart rate variability after slow pathway ablation of AV nodal reentrant tachycardia by using serial Holter recordings (Pürerfellner et al). 1998;136:259-63

Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Monocytes

Cytokine generation capacities of monocytes are reduced in patients with severe heart failure (Shimokawa et al). 1998;136:991-1002

Morbidity

Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity (Li et al). 1998;136:1075-80

Mortality

Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity (Li et al). 1998;136:1075-80

Muscular dystrophy

Evidence of left ventricular dysfunction in children with merosin-deficient congenital muscular dystrophy (Spyrou et al). 1998;136:474-6

Nine-year follow-up study of heart rate variability in patients with Duchenne-type progressive muscular dystrophy (Yotsukura et al). 1998;136:289-96

Myocardial contraction

Optimal preload adjustment of maximal ventricular power index varies with cardiac chamber size (Nakayama et al). 1998;136:281-8

Myocardial diseases

Specificity of electrocardiographic myocardial infarction screening criteria in patients with nonischemic cardiomyopathies (Shah et al). 1998;136:314-9

Myocardial infarction

Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina (Bogaty et al). 1998;136:884-93

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:57-18

Comparison of the prognosis after early versus late recurrent non-fatal myocardial infarction (Sajadieh et al). 1998;136:164-8

HOT MI Pilot Study (Laden) (Letter); (Ellestad) (Reply). 1998;136:749

Long-term prognosis of painless exercise-induced ischemia in stable patients with previous myocardial infarction (Casella et al). 1998;136:894-904

Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:519-31

Myocardial infarction, complications

C-reactive protein in postinfarction heart rupture (Beranek). 1998;136:563-4 (Letter)

Myocardial infarction, diagnosis

An angiographic assessment of alteplase: double-bolus and front-loaded infusion regimens in myocardial infarction (Bleich et al). 1998;136:741-8

Angiographic characteristics of infarct-related and non-infarct-related stenoses in patients in whom stable angina progressed to acute myocardial infarction (Tousoulis et al). 1998;136:382-8

Dobutamine stress echocardiography in the prediction of acute or chronic myocardial infarction (Cherng et al). 1998;136:1021-9

Impact of intravenous nitroglycerin on pulsed Doppler indexes of left ventricular filling in acute anterior myocardial infarction (Garadah et al). 1998;136:812-7

Noninvasive risk stratification after myocardial infarction: Which test is best? (Lauer). 1998;136:565-9 (Editorial)

QT dispersion may be useful adjunct for detection of myocardial infarction in the chest pain center (Shah et al). 1998;136:496-8

Serial creatine kinase (CK) MB testing during the emergency department evaluation of chest pain: utility of a 2-hour Δ CK-MB of +1.6 ng/ml (Fesmire et al). 1998;136:237-44

Specificity of electrocardiographic myocardial infarction screening criteria in patients with nonischemic cardiomyopathies (Shah et al). 1998;136:314-9

Myocardial infarction, drug therapy

Changes in left ventricular mass and volumes in patients receiving angiotensin-converting enzyme inhibitor therapy

for left ventricular dysfunction after Q-wave myocardial infarction (Foster et al). 1998;136:269-75

Intravenous adenosine and lidocaine in patients with acute myocardial infarction (Garraff et al). 1998;136:196-204

Pretreatment plasminogen activator inhibitor-1 (PAI-1) levels and the outcome of thrombolysis with streptokinase in patients with acute myocardial infarction (Sinkovič). 1998;136:406-11

Prognosis of patients with a first non-Q-wave myocardial infarction before and in the reperfusion era (Haim et al). 1998;136:245-51

Short- and long-term effects of early fasinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the Fasinopril in Acute Myocardial Infarction Study (Borghi et al). 1998;136:213-25

Myocardial infarction, epidemiology

Coronary angiography before myocardial infarction: Can the culprit site be prospectively recognized? (Little and Applegate). 1998;136:368-70 (Editorial)

Heterogeneity of platelet aggregation and major surface receptor expression in patients with acute myocardial infarction (Serebruany et al). 1998;136:398-405

Sex differences in symptom presentation associated with acute myocardial infarction: a population-based perspective (Goldberg et al). 1998;136:189-95

Myocardial infarction, pathophysiology

Acute myocardial infarction and increased soluble intercellular adhesion molecule-1: a marker of vascular inflammation and a risk of early restenosis? (Kamijikkoku et al). 1998;136:231-6

Complex stenosis morphology predicts late reocclusion during follow-up after myocardial infarction in patients with patent infarct-related coronary arteries (Chen et al). 1998;136:877-83

Evidence of endothelial dysfunction of epicardial coronary arteries in patients with immunohistochemically proven myocarditis (Klein et al). 1998;136:389-97

Mismatch between myocardial accumulation of 125 I-MIBG and 99m Tc-MIBI and late ventricular potentials in patients after myocardial infarction: association with the development of ventricular arrhythmias (Yukinaka et al). 1998;136:859-67

Myocardial infarction, physiopathology

Effects of exercise training on limb blood flow in patients with reduced ventricular function (Dziekan et al). 1998;136:22-30

Myocardial infarction, ventricular remodeling and angiotensin-converting enzyme inhibition: where we stand today (Solomon and Pfeffer). 1998;136:931-3 (Editorial)

Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Myocardial infarction, prevention and control

Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Myocardial infarction, therapy

Coronary flow reserve may predict myocardial recovery after myocardial infarction in patients with TIMI grade 3 flow (Mazur et al). 1998;136:335-44

Incidence and predictors of restenosis after successful primary coronary angioplasty for acute myocardial infarction: the importance of age and procedural result (van't Hof et al). 1998;136:518-27

Late coronary artery stenting in patients with acute myocardial infarction (Hsieh et al). 1998;136:606-12

Myocardial ischemia

Long-term prognosis of painless exercise-induced ischemia in stable patients with previous myocardial infarction (Casella et al). 1998;136:894-904

Myocardial ischemia, diagnosis

An angiographic assessment of alteplase: double-bolus and front-loaded infusion regimens in myocardial infarction (Bleich et al). 1998;136:741-8

Myocardial ischemia, diagnosis—cont'd

- Comparison between 2-dimensional echocardiography and myocardial perfusion imaging in the emergency department in patients with possible myocardial ischemia (Kontos et al). 1998;136:724-33
- Correlation between exercise-induced ischemic ST-segment depression and myocardial blood flow quantified by positron emission tomography (Watanabe et al). 1998;136:533-42
- Should only the squeaky wheel get the grease? the prognostic significance of silent ischemia detected by exercise treadmill testing (Fearon et al). 1998;136:759-61 (Editorial)

Myocardial ischemia, drug therapy

- The future of antithrombotic and antiplatelet therapy for ischemic heart disease (Topol). 1998;136:S66-8

Myocardial ischemia, physiopathology

- Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6
- Effects of norepinephrine on the mechanical properties of the human radial artery in vitro (Girerd et al). 1998;136:624-31
- Evidence of endothelial dysfunction of epicardial coronary arteries in patients with immunohistochemically proven myocarditis (Klein et al). 1998;136:389-97
- Fasting and postprandial ischemic threshold in patients with unstable angina with and without postprandial angina at rest (Figueras and Domingo). 1998;136:252-8
- Pathophysiologic mechanisms underlying dobutamine- and exercise-induced wall motion abnormalities (Mairesse et al). 1998;136:63-70

Myocardial revascularization

- Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic left ventricular dysfunction (Williams et al). 1998;136:57-62

Myocarditis

- Evidence of endothelial dysfunction of epicardial coronary arteries in patients with immunohistochemically proven myocarditis (Klein et al). 1998;136:389-97

Myocardium

- Biochemical markers and cardiac troponin I release after radiofrequency catheter ablation: approach to size of necrosis (Madrid et al). 1998;136:948-55
- Correlation between exercise-induced ischemic ST-segment depression and myocardial blood flow quantified by positron emission tomography (Watanabe et al). 1998;136:533-42
- Determinants of regional myocardial function in patients with chronic significant coronary stenosis or occlusion (Mutlak et al). 1998;136:169-75
- Evidence of endothelial dysfunction of epicardial coronary arteries in patients with immunohistochemically proven myocarditis (Klein et al). 1998;136:389-97

Myocardium, blood supply

- Coronary vasodilator reserve is impaired in patients with hypertrophic cardiomyopathy and left ventricular dysfunction (Lorenzoni et al). 1998;136:972-81

N

Naloxone

- Role of the central endogenous opiate system in patients with syndrome X (Fedele et al). 1998;136:1003-9

National Health and Nutrition Examination Survey III

- Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24

Natriuretic hormone

- Elevated B-type natriuretic peptide levels after anthracycline administration (Suzuki et al). 1998;136:362-3

Necrosis

- Biochemical markers and cardiac troponin I release after radiofrequency catheter ablation: approach to size of necrosis (Madrid et al). 1998;136:948-55

Neglect of elderly; see Elder abuse

Neonate

- Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity (Li et al). 1998;136:1075-80
- Prospective echocardiographic analysis of progressive obstruction of the proximal pulmonary artery in congenital heart disease and obstructed pulmonary flow (Hiraishi et al). 1998;136:837-43
- Pulmonary valve annulus grows after balloon dilatation of neonatal critical pulmonary valve stenosis (Gildein et al). 1998;136:276-80

Neovascularization

- When neoangiogenesis richocets (Virmani et al). 1998;136:937-9 (Editorial)

Neurosecretory systems

- Neurohumoral effects of digitalis (Piovan et al) (Letter); (Gheorghide and Pitt) (Reply). 1998;136:928-9

Nitroglycerin

- Impact of intravenous nitroglycerin on pulsed Doppler indexes of left ventricular filling in acute anterior myocardial infarction (Garadah et al). 1998;136:812-7

Noiceptors

- Role of the central endogenous opiate system in patients with syndrome X (Fedele et al). 1998;136:1003-9

Norepinephrine

- Effects of norepinephrine on the mechanical properties of the human radial artery in vitro (Girerd et al). 1998;136:624-31

O

Opiates, endogenous; see Endorphins

Outcome assessment

- Clinical cardiovascular databases: ready for prime time? (Weintraub). 1998;136:751-2 (Editorial)
- Managed care for congestive heart failure: influence of payer status on process of care, resource utilization, and short-term outcomes (Philbin and DiSalvo). 1998;136:553-61
- Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study (Lau et al). 1998;136:150-5
- Predictors of outcome after radiofrequency catheter ablation of the atrioventricular node for atrial fibrillation and congestive heart failure (Twidale et al). 1998;136:647-57
- Role and significance of coagulation markers in understanding and treating acute coronary syndromes—introduction (Califf). 1998;136:S1-6
- Squeezing the "value" from cost data (Kong and Peterson). 1998;136:1-3 (Editorial)

Oxygen consumption

- Progressive deterioration of coronary flow reserve after heart transplantation (Mazur et al). 1998;136:504-9

P

Pain

- QT dispersion may be useful adjunct for detection of myocardial infarction in the chest pain center (Shah et al). 1998;136:496-8

Pain—cont'd

Role of the central endogenous opiate system in patients with syndrome X (Fedele et al). 1998;136:1003-9

Parasympathetic nervous system

Abnormalities of the QT interval in primary disorders of autonomic failure (Choy et al). 1998;136:664-71

Nine-year follow-up study of heart rate variability in patients with Duchenne-type progressive muscular dystrophy (Yotsukura et al). 1998;136:289-96

Partial pressure

Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Partial thromboplastin time

Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Patent ductus arteriosus; see Ductus arteriosus, patent**Patient discharge**

Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Pemirolast potassium

Preventive effects of an antiallergic drug, pemirolast potassium, on restenosis after percutaneous transluminal coronary angioplasty (Ohsawa et al). 1998;136:1081-7

Peptide-dipeptidase A

Angiotensin-converting enzyme gene polymorphisms (Sanderson) (Letter); (Malik and Lavie) (Reply). 1998;136:562-3

Perception

Role of the central endogenous opiate system in patients with syndrome X (Fedele et al). 1998;136:1003-9

Perfusion

Comparison between 2-dimensional echocardiography and myocardial perfusion imaging in the emergency department in patients with possible myocardial ischemia (Kontos et al). 1998;136:724-33

Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Importance of intrinsic calf vasodilator capacity in determining distribution of skeletal muscle perfusion during supine bicycle exercise in patients with left ventricular dysfunction (Hattori et al). 1998;136:458-64

Intravenous adenosine and lidocaine in patients with acute myocardial infarction (Garratt et al). 1998;136:196-204

Pericarditis, constrictive

Autonomic functions in restrictive cardiomyopathy and constrictive pericarditis: a comparison (Singh et al). 1998;136:443-8

Peripheral vascular diseases

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

A "touch of sugar" can be fatal (Clark and Perry). 1998;136:762-4 (Editorial)

Physical examination

Physical examination of venous pressure: a critical review (McGee). 1998;136:10-8 (Curriculum cardiol.)

Placebo effect

Spinal cord stimulation in chronic intractable angina pectoris: a randomized, controlled efficacy study (Hautvast et al). 1998;136:1114-20

Plasma

Cytokine generation capacities of monocytes are reduced in patients with severe heart failure (Shimokawa et al). 1998;136:991-1002

Differential plasma endothelin levels in subgroups of patients

with angina and angiographically normal coronary arteries (Kaski et al). 1998;136:412-7

Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope (Zeng et al). 1998;136:852-8

Plasmin

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Plasminogen

Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74

Plasminogen activator, tissue-type; see Alteplase**Plasminogen activator inhibitor 1**

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Pretreatment plasminogen activator inhibitor-1 (PAI-1) levels and the outcome of thrombolysis with streptokinase in patients with acute myocardial infarction (Sinkovič). 1998;136:406-11

Platelet aggregation

Heterogeneity of platelet aggregation and major surface receptor expression in patients with acute myocardial infarction (Serebruany et al). 1998;136:398-405

Platelet aggregation inhibitors

The future of antithrombotic and antiplatelet therapy for ischemic heart disease (Topol). 1998;136:S66-8

Glycoproteins IIB/IIIA inhibitors in acute coronary syndromes: pathophysiologic foundation and clinical findings (Kleiman et al). 1998;136:S32-42

Post-procedure heparin: boon or burden? (Kong and Califf). 1998;136:183-5 (Editorial)

Relation between inhibition of platelet aggregation and clinical outcomes (Harrington et al). 1998;136:S43-50

Platelet function tests

Progress in point-of-care laboratory testing for assessing platelet function (Berkowitz et al). 1998;136:S51-65

Platelet membrane glycoproteins

Glycoproteins IIB/IIIA inhibitors in acute coronary syndromes: pathophysiologic foundation and clinical findings (Kleiman et al). 1998;136:S32-42

Policy making

Correlates of in-hospital cost among patients undergoing abdominal aortic aneurysm repair (Benzaquen et al). 1998;136:696-702

Managed care for congestive heart failure: influence of payer status on process of care, resource utilization, and short-term outcomes (Philbin and DiSalvo). 1998;136:553-61

Patient risk or physician practice: What factors drive resource use in unstable angina? (Eisenstein). 1998;136:365-7 (Editorial)

Utilities for major stroke: results from a survey of preferences among persons at increased risk for stroke (Samsa et al). 1998;136:703-13

Polymorphism

Angiotensin-converting enzyme gene polymorphisms (Sanderson) (Letter); (Malik and Lavie) (Reply). 1998;136:562-3

Angiotensinogen gene polymorphism is associated with insulin resistance in nondiabetic men with or without coronary heart disease (Sheu et al). 1998;136:125-31

Postmenopause

Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24

Postoperative care

Post-procedure heparin: boon or burden? (Kong and Califf). 1998;136:183-5 (Editorial)

Postoperative complications

- Acute myocardial infarction and increased soluble intercellular adhesion molecule-1: a marker of vascular inflammation and a risk of early restenosis? (Kamijikkoku et al). 1998;136:231-6
- Lipoprotein(a) levels and heart transplantation atherosclerosis (Chang et al). 1998;136:329-34
- Post-procedure heparin: boon or burden? (Kong and Califf). 1998;136:183-5 (Editorial)
- Prognostic significance of late-peaking left ventricular velocity contour in patients with aortic stenosis undergoing valve replacement (Dolan et al). 1998;136:71-7
- Progressive deterioration of coronary flow reserve after heart transplantation (Mazur et al). 1998;136:504-9
- Prolonged heparin after uncomplicated coronary interventions: a prospective, randomized trial (Garachemani et al). 1998;136:352-6

Posture

- Effects of postural changes on left atrial function in patients with hypertrophic cardiomyopathy (Dernellis et al). 1998;136:982-7

Predictive value of tests

- Predictive value of remnant-like particles cholesterol/high-density lipoprotein cholesterol ratio as a new indicator of coronary artery disease (Masuoka et al). 1998;136:226-30

Preload

- Optimal preload adjustment of maximal ventricular power index varies with cardiac chamber size (Nakayama et al). 1998;136:281-8

Preventive health services

- Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24
- Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Procainamide

- Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56

Progestational hormones

- Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24

Progestins; see Progestational hormones

Prognosis

- Comparison of the prognosis after early versus late recurrent non-fatal myocardial infarction (Sajadieh et al). 1998;136:164-8
- Long-term prognosis of painless exercise-induced ischemia in stable patients with previous myocardial infarction (Casella et al). 1998;136:894-904
- Prognosis of patients with a first non-Q-wave myocardial infarction before and in the reperfusion era (Haim et al). 1998;136:245-51
- Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93
- Should only the squeaky wheel get the grease? the prognostic significance of silent ischemia detected by exercise treadmill testing (Fearon et al). 1998;136:759-61 (Editorial)

Progress in cardiology

- Progress in cardiology. 1998;136:578-99

Prothrombin

- Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:87-118

Pulmonary alveoli

- Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Pulmonary artery

- Prospective echocardiographic analysis of progressive obstruction of the proximal pulmonary artery in congenital heart disease and obstructed pulmonary flow (Hiraishi et al). 1998;136:837-43

Pulmonary circulation

- Prospective echocardiographic analysis of progressive obstruction of the proximal pulmonary artery in congenital heart disease and obstructed pulmonary flow (Hiraishi et al). 1998;136:837-43
- Pulmonary valve annulus grows after balloon dilatation of neonatal critical pulmonary valve stenosis (Gildein et al). 1998;136:276-80

Pulmonary gas exchange

- Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic left ventricular dysfunction (Williams et al). 1998;136:57-62

Pulmonary valve insufficiency

- Are high-velocity tricuspid and pulmonary regurgitation endocarditis risk substrates? (Dod et al). 1998;136:109-14

Pulmonary valve stenosis

- Pulmonary valve annulus grows after balloon dilatation of neonatal critical pulmonary valve stenosis (Gildein et al). 1998;136:276-80

Pulmonary wedge pressure

- Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42
- Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Q

QRS scoring system

- Specificity of electrocardiographic myocardial infarction screening criteria in patients with nonischemic cardiomyopathies (Shah et al). 1998;136:314-9

QT interval; see Electrocardiography

Quinidine

- Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56

R

Radial artery

- Effects of norepinephrine on the mechanical properties of the human radial artery in vitro (Girerd et al). 1998;136:624-31

Radiofrequency catheter ablation; see Catheter ablation

Radionuclide imaging

- Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Raynaud's disease

- Short-term estrogen administration improves abnormal endothelial function in women with systemic sclerosis and Raynaud's phenomenon (Lekakis et al). 1998;136:905-12

Recanalization

- Early recovery of wall motion abnormalities after recanalization of chronic totally occluded coronary arteries: a dobutamine echocardiographic, prospective, single-center experience (Rambaldi et al). 1998;136:831-6

Receptors, opioid

- Role of the central endogenous opiate system in patients with syndrome X (Fedele et al). 1998;136:1003-9

Remodeling

- Effect of vesnarinone on cardiac function in patients with

Remodeling—cont'd

severe congestive heart failure (Scherrer-Crosbie et al). 1998;136:769-77

Myocardial infarction, ventricular remodeling and angiotensin-converting enzyme inhibition: where we stand today (Solomon and Pfeffer). 1998;136:931-3 (Editorial)

Short- and long-term effects of early fasinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the Fasinopril in Acute Myocardial Infarction Study (Borghi et al). 1998;136:213-25

Vascular and cardiac remodeling in world class professional cyclists (Abergel et al). 1998;136:818-23

Renal artery obstruction

Progression of renal artery stenosis in patients undergoing cardiac catheterization (Crowley et al). 1998;136:913-8

Reocclusion

Complex stenosis morphology predicts late reocclusion during follow-up after myocardial infarction in patients with patent infarct-related coronary arteries (Chen et al). 1998;136:877-83

Reperfusion

Intravenous adenosine and lidocaine in patients with acute myocardial infarction (Garratt et al). 1998;136:196-204

Late coronary artery stenting in patients with acute myocardial infarction (Hsieh et al). 1998;136:606-12

Prognosis of patients with a first non-Q-wave myocardial infarction before and in the reperfusion era (Haim et al). 1998;136:245-51

Respiration

Effects of spontaneous respiration on transmitral Doppler flow patterns in normal subjects and patients with coronary artery disease (Tsai et al). 1998;136:99-102

Respiratory dead space

Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Respiratory function tests

Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Restenosis

Acute myocardial infarction and increased soluble intercellular adhesion molecule-1: a marker of vascular inflammation and a risk of early restenosis? (Kamijikkoku et al). 1998;136:231-6

Asymptomatic restenosis: Should we (re)intervene? an unresolved dilemma (Deshpande and Serruys). 1998;136:576-7 (Editorial)

Histopathology of coronary lesions with early loss of minimal luminal diameter after successful percutaneous transluminal coronary angioplasty: Is thrombus a significant contributor? (Moreno et al). 1998;136:804-11

Incidence and predictors of restenosis after successful primary coronary angioplasty for acute myocardial infarction: the importance of age and procedural result (van't Hof et al). 1998;136:518-27

Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study (Lau et al). 1998;136:150-5

Preventive effects of an antiallergic drug, pemirolast potassium, on restenosis after percutaneous transluminal coronary angioplasty (Ohsawa et al). 1998;136:1081-7

Revascularization; see Myocardial revascularization**Rheumatic heart disease**

Long-term follow-up of patients with severe rheumatic tricuspid stenosis (Roguin et al). 1998;136:103-8

Risk factors

Acute myocardial infarction and increased soluble intercellular adhesion molecule-1: a marker of vascular inflammation and a risk of early restenosis? (Kamijikkoku et al). 1998;136:231-6

Are high-velocity tricuspid and pulmonary regurgitation endocarditis risk substrates? (Dod et al). 1998;136:109-14

Atherogenic, hemostatic, and other potential risk markers in subjects with previous isolated myocardial infarction compared with long-standing uncomplicated stable angina (Bogaty et al). 1998;136:884-93

Clinical predictors easily obtained at presentation predict resource utilization in unstable angina (Calvin et al). 1998;136:373-81

Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24

Comparison of the prognosis after early versus late recurrent non-fatal myocardial infarction (Sajadieh et al). 1998;136:164-8

Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74

Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study (Brand et al). 1998;136:919-27

Influence of risk factors on peripheral and cerebrovascular disease in men with coronary artery disease, low high-density lipoprotein cholesterol levels, and desirable low-density lipoprotein cholesterol levels (Papademetriou et al). 1998;136:734-40

Is low magnesium concentration a risk factor for coronary heart disease? the Atherosclerosis Risk in Communities (ARIC) Study (Liao et al). 1998;136:480-90

Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study (Lau et al). 1998;136:150-5

Noninvasive risk stratification after myocardial infarction: Which test is best? (Lauer). 1998;136:565-9 (Editorial)

Patient risk or physician practice: What factors drive resource use in unstable angina? (Eisenstein). 1998;136:365-7 (Editorial)

Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Sudden coronary death in women (Kannel et al). 1998;136:205-12

Rupture

C-reactive protein in postinfarction heart rupture (Beranek). 1998;136:563-4 (Letter)

Carotid rupture and intraplaque hemorrhage: immunophenotype and role of cells involved (Milei et al). 1998;136:1096-105

S**Safety**

Conversion efficacy and safety of repeated doses of ibutilide in patients with atrial flutter and atrial fibrillation (Abi-Mansour et al). 1998;136:632-42

Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: feasibility, safety, and surgical correlations (Lin et al). 1998;136:1010-6

Safety and effectiveness data: Will children gain access? (Schreiner). 1998;136:4-5 (Editorial)

Saphenous vein

Morphologic comparison of atherosclerotic lesions in native coronary arteries and saphenous vein grafts with intracoronary angiography in patients with unstable angina (Silva et al). 1998;136:156-63

Scintigraphy; see Radionuclide imaging**Sclerosis**

Short-term estrogen administration improves abnormal endothelial function in women with systemic sclerosis and Raynaud's phenomenon (Lekakis et al). 1998;136:905-12

Sex factors

- Learning to suspect the unexpected: evaluating women with cardiac syndromes (Peterson and Alexander). 1998;136:186-8 (Editorial)
- Sex differences in symptom presentation associated with acute myocardial infarction: a population-based perspective (Goldberg et al). 1998;136:189-95
- Sex differences in ventricular function in patients with right bundle branch block (Allen et al). 1998;136:418-24
- Sudden coronary death in women (Kannel et al). 1998;136:205-12

Sialic acids

- Serum sialic acid concentration is not associated with the extent or severity of coronary artery disease in patients with stable angina pectoris (Salomone et al). 1998;136:620-3

Social support

- Depression and social support in elderly patients with cardiac disease (Krishnan et al). 1998;136:491-5

Software

- Clinical cardiovascular databases: ready for prime time? (Weintraub). 1998;136:751-2 (Editorial)

SPECT; see Tomography, emission-computed, single photon

Spinal cord

- Evaluating treatment for intractable angina pectoris: a challenging clinical and scientific problem (Maynard and Every). 1998;136:943-4 (Editorial)
- Spinal cord stimulation in chronic intractable angina pectoris: a randomized, controlled efficacy study (Hautvast et al). 1998;136:1114-20

Sports

- Vascular and cardiac remodeling in world class professional cyclists (Abergel et al). 1998;136:818-23

ST segment; see Electrocardiography

Stents

- The evolving costs of intracoronary stents (Vaitkus et al). 1998;136:132-5
- Failed coronary stent deployment (Cantor et al). 1998;136:1088-95
- Failed stent delivery: importance for modern interventional cardiology (Buller). 1998;136:945-7 (Editorial)
- Kissing stents in the aortic bifurcation (Mendelsohn et al). 1998;136:600-5
- Late coronary artery stenting in patients with acute myocardial infarction (Hsieh et al). 1998;136:606-12
- Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study (Lau et al). 1998;136:150-5
- Preliminary clinical experience with the Bard XT coronary stent (Pentousis et al). 1998;136:786-91
- Prolonged heparin after uncomplicated coronary interventions: a prospective, randomized trial (Garachemani et al). 1998;136:352-6
- The stent decade: 1987 to 1997 (Oesterle et al). 1998;136:578-99 (Prog. cardiol.)
- Treatment of long dissections by use of a single long or multiple short stents: clinical and angiographic follow-up (De Scheerder et al). 1998;136:345-51

Streptokinase

- Pretreatment plasminogen activator inhibitor-1 (PAI-1) levels and the outcome of thrombolysis with streptokinase in patients with acute myocardial infarction (Sinkovič). 1998;136:406-11

Stress, psychological

- Emotional distress before coronary bypass grafting limits the benefits of surgery (Perski et al). 1998;136:510-7

Stress test; see Exercise test

Stroke; see Cerebrovascular disorders

Stroke volume

- Effect of vesnarinone on cardiac function in patients with

severe congestive heart failure (Scherrer-Crosbie et al). 1998;136:769-77

- Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic left ventricular dysfunction (Williams et al). 1998;136:57-62

Sympathetic nervous system

- Abnormalities of the QT interval in primary disorders of autonomic failure (Choy et al). 1998;136:664-71
- Nine-year follow-up study of heart rate variability in patients with Duchenne-type progressive muscular dystrophy (Yotsukura et al). 1998;136:289-96
- Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope (Zeng et al). 1998;136:852-8

Syncope

- Effects of long-term vasodilator therapy in patients with carotid sinus hypersensitivity (Brignole et al). 1998;136:264-8
- Randomized, double-blind, placebo-controlled trial of oral enalapril in patients with neurally mediated syncope (Zeng et al). 1998;136:852-8

Syndrome X

- Role of the central endogenous opiate system in patients with syndrome X (Fedele et al). 1998;136:1003-9

Systole

- Coronary vasodilator reserve is impaired in patients with hypertrophic cardiomyopathy and left ventricular dysfunction (Lorenzoni et al). 1998;136:972-81
- Diastolic effects of chronic digitalization in systolic heart failure (Hassapoyannes et al). 1998;136:688-95
- Effect of vesnarinone on cardiac function in patients with severe congestive heart failure (Scherrer-Crosbie et al). 1998;136:769-77
- Effects of long-term vasodilator therapy in patients with carotid sinus hypersensitivity (Brignole et al). 1998;136:264-8
- Exercise capacity in patients with β -thalassemia major: relation to left ventricular and atrial size and function (Trikas et al). 1998;136:988-90
- Optimal preload adjustment of maximal ventricular power index varies with cardiac chamber size (Nakayama et al). 1998;136:281-8
- Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic left ventricular dysfunction (Williams et al). 1998;136:57-62

T

Tachycardia, atrioventricular nodal reentrant

- Relation between impedance and electrode temperature during radiofrequency catheter ablation of accessory pathways and atrioventricular nodal reentrant tachycardia (Nsah et al). 1998;136:844-51

Tachycardia, atrioventricular nodal reentry

- Absence of significant changes in heart rate variability after slow pathway ablation of AV nodal reentrant tachycardia by using serial Holter recordings (Pürerfellner et al). 1998;136:259-63

Tachycardia, ventricular

- Heart rate changes preceding ventricular ectopy in patients with ventricular tachycardia caused by reentry, triggered activity, and automaticity (Stein et al). 1998;136:425-34
- Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56

Technetium Tc 99m sestamibi

- Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Temperature

Relation between impedance and electrode temperature during radiofrequency catheter ablation of accessory pathways and atrioventricular nodal reentrant tachycardia (Nsah et al). 1998;136:844-51

beta-Thalassemia

Exercise capacity in patients with β -thalassemia major: relation to left ventricular and atrial size and function (Trikas et al). 1998;136:988-90

Thallium

Patients with stable chronic obstructive pulmonary disease can safely undergo intravenous dipyridamole thallium-201 imaging (Shaffer et al). 1998;136:307-13

Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Thallium radioisotopes

Noninvasive risk stratification after myocardial infarction: Which test is best? (Lauer). 1998;136:565-9 (Editorial)

Thrombin

Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:S19-31

Thromboembolism

Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74

Thrombolysis in Myocardial Infarction Investigators

TIMI flow and surrogate end points: what you see is not always what you get (Tan and Moliterno). 1998;136:570-3 (Editorial)

Thrombolytic therapy

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:S7-18

The future of antithrombotic and antiplatelet therapy for ischemic heart disease (Topol). 1998;136:S66-8

Glycoproteins IIb/IIIa inhibitors in acute coronary syndromes: pathophysiologic foundation and clinical findings (Kleiman et al). 1998;136:S32-42

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Predictive value of remnant-like particles cholesterol/high-density lipoprotein cholesterol ratio as a new indicator of coronary artery disease (Masuoka et al). 1998;136:226-30

Pretreatment plasminogen activator inhibitor-1 (PAI-1) levels and the outcome of thrombolysis with streptokinase in patients with acute myocardial infarction (Sinkovič). 1998;136:406-11

Prognosis of patients with a first non-Q-wave myocardial infarction before and in the reperfusion era (Haim et al). 1998;136:245-51

Relation between inhibition of platelet aggregation and clinical outcomes (Harrington et al). 1998;136:S43-50

Role and significance of coagulation markers in understanding and treating acute coronary syndromes—introduction (Califf). 1998;136:S1-6

Short- and long-term effects of early fasinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the Fasinopril in Acute Myocardial Infarction Study (Borghi et al). 1998;136:213-25

Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Thrombosis

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:S7-18

Course of valvular strands in patients with stroke: cooperative study with transesophageal echocardiography (Nighoghossian et al). 1998;136:1065-9

Effect of intravenous heparin on thrombin-antithrombin complex and fibrinopeptide A in unstable angina (Mombelli et al). 1998;136:1106-13

Elevated serum lipoprotein(a) is a risk factor for left atrial thrombus in patients with chronic atrial fibrillation: a transesophageal echocardiographic study (Igarashi et al). 1998;136:965-74

Histopathology of coronary lesions with early loss of minimal luminal diameter after successful percutaneous transluminal coronary angioplasty: Is thrombus a significant contributor? (Moreno et al). 1998;136:804-11

Hypofibrinolysis in atrial fibrillation (Roldán et al). 1998;136:956-60

Pathobiology of thrombin in acute coronary syndromes (Becker et al). 1998;136:S19-31

Tomography, emission-computed

Correlation between exercise-induced ischemic ST-segment depression and myocardial blood flow quantified by positron emission tomography (Watanabe et al). 1998;136:533-42

Tomography, emission-computed, single-photon

Risk stratification with pre-hospital discharge exercise technetium-99m sestamibi myocardial tomography in men after acute myocardial infarction (Stratmann et al). 1998;136:87-93

Toxicity

Elevated B-type natriuretic peptide levels after anthracycline administration (Suzuki et al). 1998;136:362-3

Transesophageal echocardiography; see Echocardiography, transesophageal**Transplantation, homologous**

Lipoprotein(a) levels and heart transplantation atherosclerosis (Chang et al). 1998;136:329-34

Transposition of great vessels

Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity (Li et al). 1998;136:1075-80

Treadmill testing; see Exercise test**Treatment outcome**

Coagulation markers and outcomes in acute coronary syndromes (Ardissino et al). 1998;136:S7-18

Failed coronary stent deployment (Cantor et al). 1998;136:1088-95

Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study (Lau et al). 1998;136:150-5

Predictors of outcome after radiofrequency catheter ablation of the atrioventricular node for atrial fibrillation and congestive heart failure (Twidale et al). 1998;136:647-57

Prospective comparison of intravenous quinidine and intravenous procainamide in patients undergoing electrophysiologic testing (Holzberger et al). 1998;136:49-56

Relation between inhibition of platelet aggregation and clinical outcomes (Harrington et al). 1998;136:S43-50

Safety and effectiveness data: Will children gain access? (Schreiner). 1998;136:4-5 (Editorial)

Use of bedside activated partial thromboplastin time monitor to adjust heparin dosing after thrombolysis for acute myocardial infarction: results of GUSTO-I (Zabel et al). 1998;136:868-76

Tricuspid valve insufficiency

Are high-velocity tricuspid and pulmonary regurgitation endocarditis risk substrates? (Dod et al). 1998;136:109-14

Serial echocardiographic assessment of left atrioventricular valve function in young children with ventricular inversion (Lynch et al). 1998;136:94-8

Tricuspid valve stenosis

Long-term follow-up of patients with severe rheumatic tricuspid stenosis (Roguin et al). 1998;136:103-8

Troponin

- Biochemical markers and cardiac troponin I release after radiofrequency catheter ablation: approach to size of necrosis (Madrid et al). 1998;136:948-55

U

Ultrasonography, interventional

- Clinical feasibility of 0.018-inch intravascular ultrasound imaging device (Hiro et al). 1998;136:1017-20
Current concepts of coronary flow reserve for clinical decision making during cardiac catheterization (Baumgart et al). 1998;136:136-49
Quantification of intramural calcification in coronary intravascular ultrasound images with automated image analysis (Masseroli et al). 1998;136:78-86

United States Food and Drug Administration

- Safety and effectiveness data: Will children gain access? (Schreiner). 1998;136:4-5 (Editorial)

Univentricular heart

- Late fenestration closure in the hypoplastic left heart syndrome: comparison of hemodynamic changes (Lloyd et al). 1998;136:302-6

V

Valvular heart disease

- Session highlights from the American College of Cardiology Scientific Sessions: March 29 to April 1, 1998 (Alexander et al). 1998;136:176-9

Valvuloplasty

- Pulmonary valve annulus grows after balloon dilatation of neonatal critical pulmonary valve stenosis (Gildein et al). 1998;136:276-80

Vascular diseases

- Acute myocardial infarction and increased soluble intercellular adhesion molecule-1: a marker of vascular inflammation and a risk of early restenosis? (Kamijikkoku et al). 1998;136:231-6

Vascular resistance

- Acute hemodynamic effects of endogenous adenosine in patients with chronic heart failure (Cortigiani et al). 1998;136:37-42
Exercise capacity in heart transplant recipients: relation to impaired endothelium-dependent vasodilation of the peripheral microcirculation (Andreassen et al). 1998;136:320-8

Vasodilation

- Coronary vasodilator reserve is impaired in patients with hypertrophic cardiomyopathy and left ventricular dysfunction (Lorenzoni et al). 1998;136:972-81
Effects of exercise training on limb blood flow in patients with reduced ventricular function (Dziekan et al). 1998;136:22-30
Exercise capacity in heart transplant recipients: relation to impaired endothelium-dependent vasodilation of the peripheral microcirculation (Andreassen et al). 1998;136:320-8
Importance of intrinsic calf vasodilator capacity in determining distribution of skeletal muscle perfusion during supine bicycle exercise in patients with left ventricular dysfunction (Hattori et al). 1998;136:458-64
Short-term estrogen administration improves abnormal endothelial function in women with systemic sclerosis and Raynaud's phenomenon (Lekakis et al). 1998;136:905-12

Vasodilator agents

- Effects of long-term vasodilator therapy in patients with carotid sinus hypersensitivity (Brignole et al). 1998;136:264-8

Venous pressure

- The jugular veins: knowing enough to look (Economides and Stevenson). 1998;136:6-9 (Editorial)

- Physical examination of venous pressure: a critical review (McGee). 1998;136:10-8 (Curriculum cardi.)

Ventilation

- Impaired ventilatory efficiency in chronic heart failure: possible role of pulmonary vasoconstriction (Reindl et al). 1998;136:778-85

Ventilation tests; see Respiratory function tests

Ventricular ejection fraction; see Stroke volume

Ventricular function

- Effects of exercise training on limb blood flow in patients with reduced ventricular function (Dziekan et al). 1998;136:22-30
Heart rate changes preceding ventricular ectopy in patients with ventricular tachycardia caused by reentry, triggered activity, and automaticity (Stein et al). 1998;136:425-34
Mismatch between myocardial accumulation of ¹²³I-MIBG and ^{99m}Tc-MIBI and late ventricular potentials in patients after myocardial infarction: association with the development of ventricular arrhythmias (Yukinaka et al). 1998;136:859-67
Sex differences in ventricular function in patients with right bundle branch block (Allen et al). 1998;136:418-24

Ventricular function, left

- Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity (Li et al). 1998;136:1075-80
Changes in left ventricular mass and volumes in patients receiving angiotensin-converting enzyme inhibitor therapy for left ventricular dysfunction after Q-wave myocardial infarction (Foster et al). 1998;136:269-75
Coronary flow reserve may predict myocardial recovery after myocardial infarction in patients with TIMI grade 3 flow (Mazur et al). 1998;136:335-44
Coronary vasodilator reserve is impaired in patients with hypertrophic cardiomyopathy and left ventricular dysfunction (Lorenzoni et al). 1998;136:972-81
Effect of vesnarinone on cardiac function in patients with severe congestive heart failure (Scherrer-Crosbie et al). 1998;136:769-77
Effects of spontaneous respiration on transmitral Doppler flow patterns in normal subjects and patients with coronary artery disease (Tsai et al). 1998;136:99-102
Elevated B-type natriuretic peptide levels after anthracycline administration (Suzuki et al). 1998;136:362-3
Evidence of left ventricular dysfunction in children with merosin-deficient congenital muscular dystrophy (Spyrou et al). 1998;136:474-6
Exercise capacity in patients with β -thalassemia major: relation to left ventricular and atrial size and function (Trikas et al). 1998;136:988-90
Impact of intravenous nitroglycerin on pulsed Doppler indexes of left ventricular filling in acute anterior myocardial infarction (Garadah et al). 1998;136:812-7
Importance of intrinsic calf vasodilator capacity in determining distribution of skeletal muscle perfusion during supine bicycle exercise in patients with left ventricular dysfunction (Hattori et al). 1998;136:458-64
Myocardial infarction, ventricular remodeling and angiotensin-converting enzyme inhibition: where we stand today (Solomon and Pfeffer). 1998;136:931-3 (Editorial)
Optimal preload adjustment of maximal ventricular power index varies with cardiac chamber size (Nakayama et al). 1998;136:281-8
Prognostic significance of late-peaking left ventricular velocity contour in patients with aortic stenosis undergoing valve replacement (Dolan et al). 1998;136:71-7
Regression of left ventricular hypertrophy results in improvement of QT dispersion in patients with hypertension (Karpanou et al). 1998;136:765-8
Relative efficacy of medical therapy and revascularization for improving exercise capacity in patients with chronic

Ventricular function, left—cont'd

left ventricular dysfunction (Williams et al). 1998;136:57-62

Short- and long-term effects of early fasinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: results from the Fasinopril in Acute Myocardial Infarction Study (Borghi et al). 1998;136:213-25

Vascular and cardiac remodeling in world class professional cyclists (Abergel et al). 1998;136:818-23

Ventricular function, right

Secretion patterns of brain natriuretic peptide and atrial natriuretic peptide in patients with or without pulmonary hypertension complicating atrial septal defect (Nagaya et al). 1998;136:297-301

Ventricular inversion

Serial echocardiographic assessment of left atrioventricular valve function in young children with ventricular inversion (Lynch et al). 1998;136:94-8

Ventricular outflow obstruction

Abnormal left ventricular filling after neonatal repair of congenital heart disease: association with increased mortality and morbidity (Li et al). 1998;136:1075-80

Ventricular potentials; see Evoked potentials**Vesnarinone**

Effect of vesnarinone on cardiac function in patients with

severe congestive heart failure (Scherrer-Crosbie et al). 1998;136:769-77

W**Walk test; see Exercise test****Warfarin**

How does warfarin affect the activated coagulation time? (Chang et al). 1998;136:477-9

Whole blood coagulation time

How does warfarin affect the activated coagulation time? (Chang et al). 1998;136:477-9

Women

Comparison of the Heart and Estrogen/Progestin Replacement Study (HERS) cohort with women with coronary disease from the National Health and Nutrition Examination Survey III (NHANES III) (Herrington et al). 1998;136:115-24

Learning to suspect the unexpected: evaluating women with cardiac syndromes (Peterson and Alexander). 1998;136:186-8 (Editorial)

Short-term estrogen administration improves abnormal endothelial function in women with systemic sclerosis and Raynaud's phenomenon (Lekakis et al). 1998;136:905-12

Sudden coronary death in women (Kannel et al). 1998;136:205-12

